



Postal Registration No. N.E.-771/2006-2008

THE GAZETTE OF MEGHALAYA

PUBLISHED BY AUTHORITY

No. 46

Shillong, Thursday, November 17, 2016

26th Kartika, 1938 (S. E.)

Separate paging is given on this part in order that it may be filed as a separate compilation.

PART-IX

Advertisements and Notices by Government Offices and Public Service

NOTICES

STANDARD FORM OF APPLICATION

Photo

Dated.....

To,

.....
.....

Sir,

I beg to apply for the post of
and furnish the facts as below. In case of any false statement, I am liable to any action Govt. may deem fit
and proper. A Treasury Challan of ₹..... vide T. V. No. is attached herewith.

Signature of the applicant.

- Full name in capital letters with aliases, if any, surname first (Please do not use any initials) :
.....
- Date of birth :
Year Month Date
- Place of birth :
Village/Town Police Station District
- Father's/Mother's and Husband's name (in case of married female) (Please do not use initials):
.....
- Personal description :
(a) Height : M Cm.
(b) Colour of eyes :
(c) Colour of hair :
(d) Visible distinguishing marks (if any) :
- (a) Permanent address in full:
.....
.....
(b) Present address in full:
.....
.....
.....
(c) If you have not resided at the above address continuously for the last four years, please give the
other addresses where you have resided during the period:
.....
From To Address

7. Reference:

Name and address of two responsible persons in your locality who would be prepared to vouch for you:

.....

.....

8. Are you a citizen of India? If so, how? (Copy of a citizenship Certificate should be enclosed where necessary).

.....

9. Educational and other qualifications (Please attached copies of Certificates, Mark Sheets, etc.)

Sl. No.	Name of Institution	Date of entering	Date of leaving	Examination passed	Division	Subjects taken
1	2	3	4	5	6	7
1						
2						
3						
4						
5						

10. Community:

(a) State your religion:

(b) Are you a member of Scheduled Castes/Scheduled Tribes (Answer 'Yes' or 'No'. If 'Yes' give particulars supported by a Certificate (Copy to be enclosed).

.....

11. Present occupation, if any:

12. Previous appointment held, if any:

13. Are you a temporary/retrained personnel of temporary Department, Govt. of Meghalaya (Answer 'YES' or 'NO'. If 'YES' give particulars):

.....

14. Are you a trained in or a member of the National Cadet Corps/Territorial Army/Scout or Guides? If so, give particulars:

.....

15. Are you married or unmarried?

Signature

.....

NOTE:- (i) Modified vide Govt. O.M. No.PER(AR).123/78/143-A, dated 26th September, 2016.

(ii) Particulars are to be filled in below the Column in the space provided.

Shillong, the 27th October, 2016.

SHORT NOTICE INVITING TENDER

No.SE(E)/TB/CS/09/2016-17/9008-25.—Sealed tender duly affixed with Non-refundable Court Fee Stamp of shown in Detailed Notice Inviting Tender, per set/group eventually to be drawn in P.W.D. F-2 Form are hereby invited on behalf of the Governor of Meghalaya from Registered contractors with a Registration No. for the year 2016-17 of Class-I Contractors of Meghalaya: P.W.D. (Roads), and Registered Class-II Contractors of Eastern Circle, PWD (Roads), for the following works and will be received in the office of the undersigned upto 2:00 p.m. on the 18th November, 2016, and will be opened on the same date at 3:30 p.m. Intending Contractors or their authorized agent may present at the time of opening the tenders, if, they so desire.

NAME OF WORK :-	Construction of link road from Umniuh to Weikian.
NATURE OF WORK :-	Earth work in excavation for road formation including cutting road, side drain and catch water drain, Retaining wall, Slab drain, RCC Culvert.
LOCATION :-	1st Km, 2nd Km and Approach road to Dewsaw.
ESTIMATE AMOUNT :-	₹ 3,16, 03,000.00/- (Rupees three crores sixteen lakhs and three thousand only (In Groups).
TIME OF COMPLETION :-	12 (twelve) months from the date of Issue of Final Work Order.

Intending Contractors are to purchase the detailed tender paper of only per set/group (Non-refundable) from office of the undersigned on any working days during office hours upto 2:00 p.m. from 14th November, 2016 to 17th November, 2016.

Detailed particulars may be obtained from office of the undersigned on all working days during office hours.

Rate to be quoted on flat percentage basis at PAR/ABOVE the Schedule of rate of Roads and Bridges (Other than National Highway Work) for Areas under Khasi Hills, Jaintia Hills and Ri-Bhoi District for the year 2015-16.

An undertaken that the work will be done by the contractors himself/herself should be attached along with the tender.

While submitting their tenders Contractors are requested to attach along with their latest documents like Professional Tax, VAT Certificate, Sale Tax, Labour License, Registration No. Passport size Photo and PAN Card etc. Non-Tribal contractors) shall furnish valid Trading License from the Concerned Autonomous District Council without which the tender(s) will be rejected outright.

B. RAPSANG,
Superintending Engineer, P.W.D. (Roads)
Eastern Shillong Circle, Shillong.

Shillong, the 26th October, 2016.

SHORT NOTICE INVITING TENDER

No.PW/TB/BR/73/2016/Pt/2.—1. Sealed tenders subsequently to be drawn up in M.P.W.D. F-2 form of Tender agreement duly affixed with a non-refundable Court Fee Stamp of ₹ 2000.00 (Rupees two thousand) only, are hereby invited in 2 (two) cover bid system *i.e.*, Financial and Technical Bids separately by the undersigned on behalf of the Governor of Meghalaya, from the Registered Class-I P.W.D. Contractors of Meghalaya State/Joint Ventures having requisite qualifications for the under mentioned work and will be received in the office of the Chief Engineer, P.W.D. (Rds), Meghalaya, Shillong (Room No.311) upto 2.00 p.m. of **21st November, 2016**. The Technical Bids will be opened on the same date at 2.15 p.m. in presence of the tenderers or their authorised representatives whosoever desire to attend. If the last date happens to be a holiday, the next working day will be considered as the date of receiving and opening of tenders.

Detailed tender papers may be obtained from the Bridge Design Branch (Room No. 311) of this office from **14th November, 2016** upto **18th November, 2016** on payment of ₹ 6000.00 (Rupees six thousand) only, non-refundable per set in cash payable to the Cashier of this office during office hours on any working day from 11.00 a.m. upto 3.00 p.m. Intending tenderers desiring to get the detailed tender papers by post shall have to send the cost of tender papers along with extra ₹ 500.00 (Rupees five hundred) only, non-refundable in the form of Demand Draft/Postal Order, duly pledged in favour of Chief Engineer, P.W.D. (Rds), Meghalaya, Shillong payable at Shillong. However, the undersigned is not responsible for the postal delay, if any.

2. **NAME OF WORK:-** Reconstruction of Bridge No. 3/1 on Shangpung-Sutnga Road (Effective span = 39.25 m)
(Job No.PW/WR/2016-2017/4).

3. **DETAILS OF WORK:-**

Nature of work	Approximate value of work
1. Construction of a double lane RCC T-beam bridge without footpath having two effective spans of (1 x 14.50m + 1 x 24.75 m) on open foundation including construction of PCC Abutment on RCC base, PCC Wingwall and Guard wall, RCC pier, pier cap, Bearing Block, Dirtwall and Bracket. Providing staging, weepholes, filter media, back filling, drainage spouts, RCC wearing coat and approach slab. Construction of RCC railing including cement plastering and painting of RCC railing and Guard wall two coats etc. as per drawing and Technical specification.	₹ 6,51,14,500.00 (Rupees six crores fifty one lakhs fourteen thousand five hundred) only.
2. Construction of stone masonry Retaining wall and Guard wall in cement mortar 1:5 including cement plastering and painting of G/walls on immediate approach as per Technical specification.	
3. Construction of granular surface course by well graded material to be followed by one layer metalling with grading I and two layers with grading 3 stone aggregates, providing and laying tack coat, 20 mm thick open graded premix carpet and seal coat (Type A) on immediate approach as per Technical specification.	
4. Construction of Subway with triple opening Hume pipe culvert NP-3 of 1200 mm dia. including construction of stone masonry facewalls and guard wall, providing boulders filling behind facewalls and construction of embankment etc., as per Technical specification.	
5. Construction of stone masonry Retaining wall in cement mortar 1:5, providing edge stone and boulder filling behind retaining wall, construction of embankment and granular surface course by well graded material etc., on subway approach as per Technical specification.	

4. **TIME OF COMPLETION:-** 24 (twenty four) months from the date of issue of Final Work Order.
5. **RATES:-** Rates are to be quoted on flat percentage basis *i.e.*, AT PAR/ABOVE the SOR for Road and Bridge Works (Other than National Highway Works) in the Districts of Khasi, Jaintia and Ribhoi Areas of Meghalaya for the year 2015 -2016 (1st Revision) for scheduled items and for the additional items of work not covered by the said SOR on item rate basis.
6. **EARNEST MONEY:-** 2% (two) percent or 1 % (one) percent as applicable (Registered Class I Contractor of PWD (Rds), Meghalaya are not required to furnish the Earnest Money).
7. Other details can be seen in the Detailed Notice Inviting Tender.

M. R. SANGMA,
Chief Engineer (NH), P.W.D. (Roads)
Meghalaya, Shillong.

Shillong, the 7th November, 2016.

EXTENSION OF TIME NOTICE

No.PW/TB/RD/8/2007/14.—In continuation to all the Short Notice Inviting Tenders issued by this office from 19th October onward till date will be extended till the 18th November, 2016, due to unavoidable circumstances.

All other terms and conditions remain unchanged.

Inconvenience is regretted.

B. KHARBULI,
Chief Engineer P.W.D. (Roads),
Meghalaya, Shillong.

Shillong, the 28th October, 2016.

SHORT NOTICE INVITING TENDER

No.PW/TB/RD/90/2016/1.—Sealed tenders subsequently to be drawn up in MPWD F-2 form of tender agreement duly affixed with a non-refundable court fee stamp of ₹ 2000.00 (Rupees two thousand) only, are hereby invited in 2 (two) cover bid system i.e., Financial Bid and Technical Bid by the undersigned on behalf of the Governor of Meghalaya, from the Registered Class-I PWD Contractors of Meghalaya State/Joint Ventures having requisite qualifications for the under mentioned work. The bids will be received in the office of the Chief Engineer, PWD (Roads), Meghalaya, Shillong (Room No. 210) upto 2.30 p.m. on the 23rd November, 2016. The Technical Bids will be opened on the same day at 3.00 p.m. in presence of the tenderers or their authorized representatives who so desire to witness the opening of the bids. If the last date happens to be a holiday, the next working day will be considered as the date of receiving and opening of tenders.

Detailed tender papers may be obtained from the Technical Branch (Roads) (Room No.210) of this office from 18th - 21st November, 2016 on payment of ₹ 2000.00 (Rupees two thousand) only as applicable, non-refundable in cash payable to the Cashier of this office from 11.00 a.m. upto 2.00 p.m. on the above dates.

- (i) **Name of Work:-** Construction including Metalling and Blacktopping of road from A.O.C. petrol to Modynagar PWD approach road *via* Tura Government College field.
- (ii) **Nature of Work:-** Widening of road formation, construction of retaining and breast walls, construction of drain, construction of cross drainage work & MBT (inclusive of all carriages).
- (iii) **Approximate value of work:-** ₹ 2,68,03,000.00 (Rupees two crore sixty-eight lakhs and three thousand) only.
- (iv) **Time of completion:-** 18 (eighteen) months from the date of issue of Final Work Order.
- (v) **Rates:-** Rates are to be quoted on Flat percentage basis, i.e., At PAR/ ABOVE the Schedule of Rate for PWD Roads under Tura and Williamnagar Circle for the Year 2014-15.

Non-tribal contractors shall have to furnish valid Trading License from the respective Autonomous District Council, while submitting their tenders otherwise the tenders will be rejected outrightly.

B. KHARBULI,
Chief Engineer P.W.D. (Roads),
Meghalaya, Shillong.

Shillong, the 21st October, 2016.

SHORT NOTICE INVITING TENDER

No.PW/SBP/TB/CS/2016-17/76.—Sealed Tenders affixed with Non-Refundable Court Fee Stamp of ₹ 300.00 (Rupees three hundred) only/ ₹ 200.00 (Rupees two hundred) only as applicable under different Groups eventually to be drawn in Meghalaya P.W.D. F-2 Form of Tender Agreement are hereby invited by the undersigned on behalf of the Governor of Meghalaya from Registered Class - I Contractors of Meghalaya P.W.D. (Roads)/Class-II Contractors of National Highway Circle, Shillong having requisite experience/capability for executing the work mentioned below and will be received by the undersigned upto 3:00 PM on the 18th November, 2016. The Tender will be opened on the same Date & Time in the presence of the intending Tenderers or their authorised Representatives. In case if the last date happens to be a Holiday, the next working day will be deemed as the last date for receiving & opening of Tenders.

The Detailed Tender Papers may be obtained from the office of the undersigned during office hours from 11:00 a.m. upto 2:00 p.m. with effect from 16th -17th November, 2016 on payment of ₹ 500.00 (Rupees five hundred) only/ ₹ 150.00 (Rupees one hundred & fifty) only (Non-Refundable) as applicable.

Name of work :- Construction and Improvement i/c MBT of internal roads at Sohryngkham Village (L = 4.00 Km).

Nature of work :- Earthwork in Road formation, construction of CC Drains, Retaining Walls, Breast Wall. RCC Slab Culvert, HP Culvert i/c Metalling & Blacktopping.

Approx. Tender Value :- ₹ 2,40,85,000/- (Rupees two crores forty lakhs & eighty five thousand) only (In Groups).

Time of Completion :- 6 (Six) months from the date of issue of Final Work Order (FWO).

Earnest Money :- 2 % or 1% of the quoted amount as applicable to be pledged in favour of the Executive Engineer, P.W.D. (Roads). NH Shillong Bypass Division, Shillong.

- i) Rates are to be quoted on that percentage basis AT PAR/ABOVE the SoR for Roads & Bridge Works (Other than NH works) in the District of Khasi, Jaintia & Ri-Bhoi Areas of Meghalaya for the year 2015-16 (1st Revision).
- ii) Non-Tribal Contractors shall have to furnish their valid Trading License issued by the Khasi Hills Autonomous District Council (KHADC), Shillong without which they will not be allowed to purchase the Detailed Tender Papers.
- iii) Rates quoted by the Contractors shall be inclusive of Forest Royalty, Sales Tax, VAT and all other Taxes and Duties as applicable in the state of Meghalaya.
- iv) 1% Labour Cess under Meghalaya Building & other Constructions Workers (Regulations of Employment & Condition of Service) Rules, 2008 shall be deducted from the Contractor's Bill.
- v) Payment to be made subject to availability of Fund.
- vi) The undersigned reserves the right to reject any or all Tenders without assigning any reasons thereof.

B. M. SYIEM,

Executive Engineer, P.W.D. (Roads),
NH Shillong Bypass Division, Shillong.

Shillong, the 21st October, 2016.

SHORT NOTICE INVITING TENDER

No.PW/SBP/TB/CS/2016-17/77.—Sealed Tenders affixed with Non-Refundable Court Fee Stamp of ₹ 300.00 (Rupees three hundred) only/ ₹ 200.00 (Rupees two hundred) only as applicable under different Groups eventually to be drawn in Meghalaya PWD F-2 Form of Tender Agreement are hereby invited by the undersigned on behalf of the Governor of Meghalaya from Registered Class-I Contractors of Meghalaya PWD (Roads)/Class-II Contractors of National Highway Circle, Shillong having requisite experience/ capability for executing the work mentioned below and will be received by the undersigned upto 3:00 p.m. on the 18th November, 2016. The Tender will be opened on the same Date & Time in the presence of the intending Tenderers or their authorised Representatives. In case if the last date happens to be a Holiday, the next working day will be deemed as the last date for receiving & opening of Tenders.

The Detailed Tender Papers may be obtained from the office of the undersigned during office hours from 11:00 a.m. upto 2:00 p.m. with effect from 16th -17th November, 2016 on payment of ₹ 500.00 (Rupees five hundred) only/₹ 150.00 (Rupees one hundred & fifty) only (Non-Refundable) as applicable.

Name of work : Construction & Improvement i/c MBT of internal roads at Mawryngkneng Village (L = 2.315 Km) under SPA. Job No. PW/WR/ 2015 -16/ 59.

Nature of work : Earthwork in Road Formation, construction of Road Side Drains, RCC Slab Culvert, HP Culvert, R/Wall i/c Metalline & Blacktopping.

Approx. Tender Value : ₹ 2.36.80.000/- (Rupees two crores thirty six lakhs & eighty thousand) only (In Groups).

Time of Completion : 6 (Six) months from the date of issue of Final Work Order (FWO).

Earnest Money : 2% or 1% of the quoted amount as applicable to be pledged in favour of the Executive Engineer, P.W.D. (Roads), NH Shillong Bypass Division, Shillong.

- i) Rates are to be quoted on that percentage basis AT PAR/PERCENT/ABOVE the SoR for Roads & Bridge Works (Other than NH works) in the District of Khasi, Jaintia & Ri-Bhoi Areas of Meghalaya for the year 2015-16 (1st Revision).
- ii) Non-Tribal contractors shall have to furnish their valid Trading License issued by the Khasi Hills Autonomous District Council (KHADC), Shillong without which they will not be allowed to purchase the Detailed Tender Papers.
- iii) Rates quoted by the Contractors shall be inclusive of Forest Royalty, Sales Tax, VAT and all other Taxes and Duties as applicable in the state of Meghalaya.
- iv) 1% Labour Cess under Meghalaya Building & other Constructions Workers (Regulations of Employment & Condition of Service) Rules, 2008 shall be deducted from the Contractor's Bill.
- v) Payment to be made subject to availability of Fund.
- vi) The undersigned reserves the right to reject any or all Tenders without assigning any reasons thereof.

B. M. SYIEM,
Executive Engineer, P.W.D. (Roads),
NH Shillong Bypass Division, Shillong.

Shillong, the 21st October, 2016.

SHORT NOTICE INVITING TENDER

No.PW/CE/BD/20/2010/46.—Sealed tenders subsequently to be drawn up in M.P.W.D. F-2 form of Tender agreement duly affixed with a non-refundable Court Fee Stamp of ₹ 2000/- (Rupees two thousand) only are hereby invited in 2 (two) cover Bid system i.e., Technical Bid and Price Bid separately by the undersigned on behalf of the Governor of Meghalaya, from the Registered Class-I P.W.D. (Building), Contractors of Meghalaya State having a valid Electrical Licence and having requisite qualifications with experience of executing similar building for the under mentioned work and will be received in the office of the Chief Engineer, P.W.D. (Building), Meghalaya, Shillong (Room No. 416) up to 2.00 p.m. of 21st November, 2016. The Technical Bid will be opened on the same date and hour in the presence of the intending tenderers or their authorized representatives. However, if the last date is declared as a holiday, then the next working day will be the schedule date for receiving and opening of the bid. The Price Bid of the pre-qualified tenderer(s) will be opened on a specified date in the presence of the tenderer(s) or their authorized representatives and the date for opening of Price Bid will be duly notified.

Detailed tender papers may be obtained from the Technical Branch Room No. 414 of this office from 16th November, 2016 up to 18th November, 2016 on payment of a non-refundable fee of ₹ 3,000/- (Rupees three thousand) only per set in cash payable to the Cashier of this office during office hours on any working day, from 10:00 a.m. upto 4:00 p.m. Intending tenderers desiring to get the detailed tender papers by post shall have to send the cost of tender papers along with extra ₹ 200/- (Rupees two hundred) only (non-refundable), in the form of Demand Draft / Postal Order, duly pledged in favour of Chief Engineer, P.W.D. (Building), Meghalaya, Shillong payable at Shillong. However, the office is not responsible for the postal delay, if any.

1. **Name of work:-** Construction of Special Homes, Shelter Homes & Staff Quarters at Mawdiangdiang, New Shillong, East Khasi Hills District, Meghalaya. Construction of Special Homes & Shelter Homes for Boys and Construction of Special Homes & Shelter Homes for Girls thereof.
2. **Approximate Tender Value:-** ₹ 12,80,00,000.00 (Rupees twelve crores eighty lakhs) only. (In Groups).
3. **Time of completion:-** 24 (Twenty four) months from the date of issue of Final Work Order.
4. **Rate:-** Rates are to be quoted on flat percentage basis i.e., AT PAR/ABOVE the Schedule of Rates for Building Works for 2015-16 as applicable in Khasi Hills & the Schedule of Rates for Electrical Works for 2016-17.
5. **Earnest Money:-** 2% (two) percent or 1% (one) percent as applicable (Registered Class-I Contractor of P.W.D. (Building), Meghalaya are not required to furnish the Earnest Money).
6. Non-Tribal Contractors shall have to produce valid Trading License before purchasing Tender Forms failing which no tender papers will be issued.
7. The Chief Engineer, P.W.D. (Building), Meghalaya, Shillong reserves the right to accept or reject any or all tender without assigning any reason thereof.
8. Other details can be seen in the Detailed Notice Inviting Tender.

M. PHANBUH,
Chief Engineer, P.W.D. (Building)
Meghalaya, Shillong.

Shillong, the 21st October, 2016.

SHORT NOTICE INVITING TENDER

No.PW/CE/BD/20/2010/47.—Sealed tenders subsequently to be drawn up in M.P.W.D. F-2 form of Tender agreement duly affixed with a non-refundable Court Fee Stamp of ₹ 2000/- (Rupees two thousand) only are hereby invited in 2 (two) cover Bid system *i.e.*, Technical Bid and Price Bid separately by the undersigned on behalf of the Governor of Meghalaya, from the Registered Class-I P.W.D. (Building), Contractors of Meghalaya State having a valid Electrical Licence and having requisite qualifications with experience of executing similar building for the under mentioned work and will be received in the office of the Chief Engineer, P.W.D. (Building), Meghalaya, Shillong (Room No. 416) up to 2.00 p.m. of 21st November, 2016. The Technical Bid will be opened on the same date and hour in the presence of the intending tenderers or their authorized representatives. However, if the last date is declared as a holiday, then the next working day will be the schedule date for receiving and opening of the bid. The Price Bid of the pre-qualified tenderer(s) will be opened on a specified date in the presence of the tenderer(s) or their authorized representatives and the date for opening of Price Bid will be duly notified.

Detailed tender papers may be obtained from the Technical Branch Room No. 414 of this office from 16th November, 2016 up to 18th November, 2016 on payment of a non-refundable fee of ₹ 2,000/- (Rupees two thousand) only per set in cash payable to the Cashier of this office during office hours on any working day, from 10:00 a.m. up to 4:00 p.m. Intending tenderers desiring to get the detailed tender papers by post shall have to send the cost of tender papers along with extra ₹ 200/- (Rupees two hundred) only (non-refundable), in the form of Demand Draft/Postal Order, duly pledged in favour of Chief Engineer, P.W.D. (Building), Meghalaya, Shillong payable at Shillong. However, the office is not responsible for the postal delay, if any.

1. **Name of work:-** Construction of Special Homes, Shelter Homes & Staff Quarters at Mawdiangdiang, New Shillong, East Khasi Hills District, Meghalaya. Construction of Grade III & Grade IV Staff Quarters thereof.
2. **Approximate Tender Value:-** ₹ 2,80,00,000.00 (Rupees two crores eighty lakhs) only. (In Groups).
3. **Time of completion:-** 24 (Twenty Four) months from the date of issue of Final Work Order.
4. **Rate:-** Rates are to be quoted on flat percentage basis *i.e.*, AT PAR/ABOVE the Schedule of Rates for Building Works for 2015-16 as applicable in Khasi Hills & the Schedule of Rates for Electrical Works for 2016-17.
5. **Earnest Money:-** 2% (two) percent or 1 % (one) percent as applicable (Registered Class-I Contractor of P.W.D. (Building), Meghalaya are not required to furnish the Earnest Money).
6. Non Tribal Contractors shall have to produce valid Trading License before purchasing Tender Forms failing which no tender papers will be issued.
7. The Chief Engineer, P.W.D. (Building), Meghalaya, Shillong reserves the right to accept or reject any or all tender without assigning any reason thereof.
8. Other details can be seen in the Detailed Notice Inviting Tender.

M. PHANBUH,
Chief Engineer, P.W.D. (Building)
Meghalaya, Shillong.

Shillong, the 25th October, 2016.

QUOTATION NOTICE

No.SW(G-H)22/2016/8.- Sealed Quotation duly affixed with Court Fee Stamp of ₹ 500/- (Rupees, five hundred) only each are hereby invited from interested Firms/Suppliers for supply of Handloom materials during 2015-2016 and will be received by the undersigned up to 12:30 p.m. on the 22nd November, 2016. The quotation will be opened on the same day at 1:30 p.m. in the office of the undersigned in presence of the quotationers or their representatives if any.

The detailed particulars of the materials, items and specification including the terms and condition may be obtained from the office of the Directorate, Sericulture and Weaving, Meghalaya, Shillong on all working days. If the last date for receipt of quotation happens to be a holiday, the quotation will be received and opened on next working day at same time and same venue.

For more details please log on www.megseriloom.gov.in

BAKUL CH. HAJONG,
Director,
Sericulture & Weaving, Meghalaya,
Shillong.

TERM AND CONDITIONS

The rates are to be quoted F.O.R. Zonal Officer (Weaving), Shillong, District Handloom Officer, Tura/Dilma/Williamnagar/Nongpoh/Jowai/Nongstoin/ I/c. Baghmara with validity up to 31st March, 2016.

1. The undersigned reserved the right to reject and accept any or all the quotations without assigning any reasons thereof and thus not bind himself to accept or recommend acceptance of lowest rates of any quotations.
2. Earnest money at the rate of ₹ 10,000/- in case of Non-tribal and ₹ 5,000/- in case of SC/ST (refundable).
3. The successful candidate will be required to deposit a performance guarantee of 5% of the total contract amount, through **Bank Draft** and pledged in favour of Director of Sericulture and Weaving, Meghalaya, Shillong.
4. Supply of materials shall have to be completed within 45 (Forty five) days from the date of received of supply order(s). No extension of delivery period will be entertained beyond the stipulated period unless the approved supplier submits irrefutable grounds' for extension of supply. The application for the extension of time must be submitted to undersigned in time after receiving the supply order, and not later than the due date fixed for completion of the supply. Application for extension of time received after the stipulated time will not be considered.
5. Payment will be made to the suppliers directly, only on completion of supplies and on satisfactory receipt of the materials by the respective officers for which a completion Certificates shall be issued to the suppliers by the concerned officers.
6. The risk of transportation will have to be borne by the successful suppliers.
7. The **Security Deposit** and **Earnest money** of the successful firms/ suppliers will be released only after he/she received the completion certificate from the concerned officers.
8. At the time of opening of tender(s), if there is any objection on the validity of documents of any tender(s) raised by the quotationer/representatives, the objection will be duly recorded and will be put up to the Purchase Board Committee for consideration. The decision of the Purchase Board committee on such objection will be final.

Quotation must be accompanied by:-

- a) Affixed non-refundable Court Fee Stamp of ₹ 500/- (Rupees, five hundred) only.
- b) Attested copies of valid VAT Registration in Form No. 2 and up-to-date Sale Tax Clearance Certificate in Form No. 39 from the concerned Superintendent of Taxes.
- c) Attested copies of valid and up to date Central Sale Tax Certificate from the concerned Superintendent of Taxes.
- d) Attested copies of SC/ST Certificate issued by the concerned Competent Authority (for Tribal Tenders).
- e) Attested copies of valid Trading License from KHADC, JHADC and GHADC (for Non-Tribal).
- f) The attested copies of Income Tax/ Professional Tax/PAN Card should be attached with each quotation(s).
- g) Earnests money of ₹ 10,000/- in case of Non-Tribal, and ₹ 5,000/- in case of Tribal.
- h) The **Technical Bid** and **Price Bid** should be submitted in separate sealed cover.
- i) The Bank Draft/Call Deposit should be deposited and pledged in favour of the Director of Sericulture and Weaving, Meghalaya, Shillong.

ANNEXURE "A"

**LIST OF HANDLOOM MATERIALS AND ACCESSORIES
FOR TENDERING QUOTATION FOR IMPLEMENTATION OF INCOME GENERATION PROGRAMME FOR WEAVERS**

#	Specification.	Qty.	Rate	Amount
1.	52" Shuttle wooden Frame Loom of non-Sal & Seasoned wood (size of post 3"x4"x7 ft.(H)x6 ft. (L) with complete accessories as mentioned below-	1 set		
	a) Sley	1 no.		
	b) C. V. Heald (size:-52" x 48" Best quality)	1 set		
	c) Steel Reed (size:- 52" x 48" Best quality)	1 no.		
	d) Shuttle-Standard size.	1 no.		
	e) Pirn-Standard size. (Both end sealed 10 cm.	6 nos.		
	f) Bobbin-15cm. x 3.75cm. (6" x 0.5")	12 nos.		
	g) Temple-Standard size	1 set		
	h) Charkha-ring spindle with new bicycle rim 24" (70 cm.) circumference complete set	1 no.		
	i) Drawing Hook-Standard size.	2 nos.		
	j) Heald Cord Ball (6 ply jute)	12 nos.		
	k) Wire Heald-Standard size	500 nos.		
	l) Picker	2 nos.		
	m) Heald stick	1 set (8 nos.)		
2.	60" Sley. (made of bonsum/Khokon/hollokh/Lali other non-Sal wood)	1 no.		
3.	Jacquard, 360 hooks capacity	1 no.		
4.	Dobby machine 220 hooks capacity (with complete accessories)	1 set		
5.	Jacquard, 220 hooks capacity (with complete accessories)	1 no.		
6.	Dobby machine 120 hooks capacity (with complete accessories)	1 set		
Total (A)				

ANNEXURE "B"

7.	Accessories for designing, dyeing and weaving for 10 Units of CFC.			
	Specification.	Qty.	Rate	Amount
	DESIGNING ITEM			
	a) Draw boy set including country heald 80sx52"/naugal etc.	1 set.		
	b) Harness cord (nylon-big & small size)	1 kg. each		
	c) Design card	250 cards		
	d) Graph paper sheet 10 units per inch (A3size paper)	100 sheets		
8.	DYEING ITEM			
	a) Weight balance - capacity 5 kgs set (sitting balance manual)	1 no.		
	b) Steel vessel - capacity 20 litres	2nos.		
	c) Thermometer	1 no.		
	d) Plastic bucket - capacity 20 litres (good quality)	1 no.		
	e) Kerosene pump Stove (big size)	1 no.		
9.	WEAVING ACCESSORIES			
	a) C.V. Heald (size:-52"x48"Best quality)	6 nos.		
	b) Steel Reed (size:- 52"x48" Best quality)	1 no.		
	c) Shuttle- Standard size.	1 no.		
	d) Pirn- Standard size. (Both end sealed 10cm.	2 dozens.		
	e) Bobbin- 15cm.x3.75cm. (6"x0.5")	14 dozen.		
	f) Temple- Standard size	2 dozens.		
	g) Charkha- ring spindle with new bicycle rim 24"(70cm.) circumference complete set.	1 set		
	h) Drawing Hook- Standard size	1 no.		
	i) Heald Cord Ball. (6 ply jute)---	1 set (8 nos.)		
	j) Wire Heald- Standard size	1 dozen.		
	k) Swift with stand	500 nos.		
	l) Picker	1 no.		
	m) Heald stick	6 nos.		
10.	Storage boxes for Handloom cloths & yarns to the individual weavers under 10 Common Facility Centre-Cum-Production units.			
	a) Steel trunk - Storage box (size 3½ ft. length x 2 ft. breadth x 1½ ft. height)	1 no.		
	Total (B)			
	Grand Total (A) + (B)			

**OFFICE OF THE DIRECTOR GENERAL OF POLICE
MEGHALAYA:SHILLONG**

Shillong, the 21st October, 2016.

TENDER NOTICE

FOR DRY & FRESH RATION FOR THE YEAR 2017-2018

No.MS/VIII-I/2017-18/5.

1. Sealed Tenders affixing non-refundable Court Fee Stamp of :-
 - (a) Rs. 100/- (Rupees one hundred) only each for supply of rations to Police Dogsquad at Pynthorumkhrah, Shillong and 2nd MLP Bn. Goeragre Tura/ Dry & Fresh rations group wise in AB/AR scale at the rate of 1 (one) tender for each group i.e (a),(b),(c) & (d) to the entitled Meghalaya Police Battalions i.e 1st MLP Bn. Mawiong/ 2nd MLP Bn. Goeragre/ 3rd MLP Bn. Khliehtyrshi/ 4th MLP Bn. Nongstoin/ 5th MLP Bn. Samgong Williamnagar/6th MLP Bn. Camp Shillong/ SF-10 Meghalaya, Shillong.
 - (b) Rs. 100/- (Rupees One hundred) only for supply of Dry/fresh Ration group wise to entitled Meghalaya Police battalions at Vikas Puri New Delhi
 - (c) Rs. 200/- (Rupees two hundred) only for supply of ISI marked sweetened Condensed Tinned Milk for the entitled Meghalaya Police Battalions Meghalaya/Vikas Puri New Delhi for the year **2017-18 with effect from 1st April, 2017 to 31st March, 2018**. These will be received upto **25th November, 2016 till 1300 hrs** and will be opened immediately thereafter.
2. **Tender Process.**

Tenders should be submitted in the following manner.

 - (a) The first envelope should contain all necessary documents mentioned below, copies of which is duly attested without which the Tender is liable to be rejected.
 - (i) An attested copy of photograph of the Tenderer.
 - (ii) An undertaking that the supply/work will be carried out by the Contractor/Tenderer himself/herself.
 - (iii) Professional Tax Certificate, Value Added Tax (VAT) Registration Certificate and Tax Identification Number (TIN) of the firm from the concerned Department, Government of Meghalaya.
 - (iv) A financial stability certificate from the Deputy Commissioner, 1st Class Magistrate or of the Scheduled Bank certifying that the Firms/Suppliers is capable to undertake the supply/work.
 - (v) Sales Tax Clearance Certificate from the Superintendent of Taxes, Meghalaya, Shillong.
 - (vi) Up-to date certificate issued by Health Inspector, Health Department, Government of Meghalaya in respect of food adulteration.
 - (vii) Attested copies of valid Trading License in terms of KHADC, JHADC, GHADC for non tribals (Regulation Act 1954) who are required to obtain such license should be enclosed.

(b) The Second envelope should contain rates quoted indicating VAT separately earnest money duly pledged in favour of AIG (A), Meghalaya, Shillong and court fee stamp for each group separately to be submitted Battalions wise.

(c) The above envelopes is then to be placed in a single envelope indicating its contents.

3. (a) All Contracts for supply of dry rations will be on scheduled rates per 100 Kgs except in case of refined oil / mustard oil, where the rates shall be on per 100 litres and for match boxes, the rates shall be per 100 match boxes. The rates should be quoted accordingly.

(b) Any commodity which is not controlled/price controlled at the time of publication of this Tender Notice or submission of the Tender, but is controlled/price controlled subsequently during the currency of the contract, will have to be supplied by the Successful Tenderers (viz. appointed Contractors) at whole sale controlled price/controlled rates as the case may be (exclusive of the cost of container) so long the controlled/ price controlled over such commodity remains operative and if the control is again lifted the item supplied will be paid at schedule contract rates. Rates for indential items for (1) 1st MLP Bn. Mawiong (2) 2nd MLP Bn. Goeragre (3) 3rd MLP Bn. Khliehtyrshi (4) 4th MLP Bn. Sohpien (5) 5th MLP Bn, Samgong (6) 6th MLP Bn. Camp Shillong (7) Meghalaya Police Battalions at Vikaspuri New Delhi (8) Special Force-10 Personnel should be uniform.

(c) All contracts will be for net weight of ration commodities only. No claims for payment of the cost of the container/ Bag will be entertained. Contractors are however, required to supply dal, salt, tea leaves and refined oil / Mustard oil in the container of original packing free of charge.

(d) The contract when awarded will remain operative upto 31/03/18 subject to the conditions under clause 7(c) and 8(a).

(e) In the interest of the finance and the administrative suitability in public interest the D.G. of Police, Meghalaya may extend the operation of the contract beyond –31/03/18 till 30/05/18 and in that case the contractor will be bound to supply contracted items of rations at the contracted rates under the same terms and conditions of the Tender Notice and Contract Agreement.

4. (a) Tenders are to be submitted on typed forms. However handwritten Tenders written neatly and clearly will be considered valid. Indistinct writing or overwriting may be considered as is disqualification.

(b) Tenders should be dropped in the Tender Box of this office. Tenders received after the fixed time above will not be accepted. The Tender must be sent under a strong cover, securely fastened and sealed with distinctive device addressed to the AIG (A) Meghalaya, Shillong and not by name.

(c) Any alteration made in the Tender before submission must be signed by the tenderer, failing which tender will not be considered. No alteration or modifications of rates will be allowed after the tenders have been submitted.

(d) Tenderers should fill up his / her / their rates both in words and figures in the Tender Forms for each item, the rates in the Tender must be in terms of Rupee and paise. However CST/VAT should be quoted separately and a gross amount be indicated .

(e) All Tenders must quote only one rate for each articles of ration exclusive of CST/VAT. Item-wise rate will have to be quoted separately for different varieties of dry ration and so on.

(f) Tenderers for supply of dry ration will be required to submit Sealed Samples of each item in a polythene bag with the tenderer's name attached to the sampler for each tender for Unit separately. The weight of each sample should not be less than 100 grams. Samples for refined oil / Mustard oil should be in the original packing of the manufacturer container.

(g) Tax at source will be deducted from the approved Contractor's bill as per rate applicable for taxable items by unit offices concerned.

(h) At the time of opening the Tender, should there be any objection raised by Tenderers/representatives present as to the validity on any Tender, the objection will be duly recorded and will be put up to the Purchase Board for consideration. The decision of the Purchase Board on such objection will be final and binding.

(i) Contractors shall be bound to supply different varieties of Dal, etc., as per prescribed percentage. Any variety & percentage of Ration may be modified at the discretion of the Director General of Police, Meghalaya, if he is satisfied with the reasons being beyond the control of Contractor as may be brought out by the Contractors.

(j) The Director General of Police, Meghalaya is not bound to accept the lowest Tendered rate and reserves to himself the right to reject any or all Tenders without assigning any reasons thereof.

(k) Supply of tinned Milk to the Battalions should be in the original packing of manufactures with expiry date of the product to be adequately within permissible period taking into account the entire period of supply. Appointments of Contractors for supply of tinned milk will be subject to verification of antecedents. If the Director General of Police desire so and will be liable to cancellation at the discretion of the Director General of Police, without cause, assigning or issuing any notice of any undesirable element comes to light as a result of such verifications. Contracts will be on schedule rates per 100 Kgs i.e one quintal (Net). The tenderers must furnish the manufactures price list (whole sale and Maximum Retail Price), as on the date of opening of tenders, duly certified by authorized representative of manufactures alongwith the tender, otherwise tender will be summarily rejected.

(l) Tax at source will be deducted from the approved contractor's bill as per rate applicable by the Unit/Offices concerned.

5. For supply of ration for Police dog squad, Pynthorumkhrah, Shillong and Tura the tenderers must quote rate for Rice per Kg, Beef Per Kg, Milk per ltr, eggs per dozens and loaf per piece.

Payments to the contractors for their supply of rations to Police Dog squad will be made by the Spl. Superintendent of Police (CID) Meghalaya, Shillong after rations bills are countersigned by the AIG (A), Meghalaya, Shillong.

6. All Tenders must affix their signature and date on the Tender Form with their full address.
 - a. If the Tenderers represent a company, such Tenderers must submit alongwith their Tenders a certified copy of the registration of their firm under the Company Act and a copy of their partnership deed. Registration number shall invariably be quoted in their Tender along with their signature.
 - b. When a Tender is submitted by Company all partners of the Company will be required to sign their Tender or else, a power of attorney should be submitted for inspection otherwise such Tender will stand rejected.
 - c. Non-submission of full Earnest Money as specified may, render a Tender as invalid. Asstt. Inspector General of Police (Admn.) has in such cases the right to consider or reject.

The Earnest Money may be in one of the following forms:-

- (i) Government Securities.
 - (ii) Postal Saving Accounts.
 - (iii) Deposit at Call/Fixed Deposit Receipt from a recognized Bank.
 - (iv) No cheque or cash will be accepted as Earnest Money. No Security Deposit which has been furnished in connection with previous contract will be accepted as Earnest Money.
 - (v) Scheduled Castes/Scheduled Tribes and other backward classes Contractors may deposit Earnest Money at 50% of the above amount.
7. (a) The successful Tenderer will be intimated by a letter of acceptance by the Asstt. Inspector General of Police (Admn.), Meghalaya. Till then no Tenderer has any right to assume that his / her Tender has been accepted and if any expenditure is incurred by any Tenderer in anticipation of issue of a letter of acceptance, there shall be no claim whatsoever for compensation.
 - (b) Successful Tenderers will have to sign a contract agreement and must abide with the terms and conditions laid down in the Tender Notice and Contract Agreement before supply is made.
 - (c) In the event of Contractors failing to perform his / her part of the contract to the satisfaction of the Department or disregard any terms or condition of the Tender Notice or the Contract Agreement the contractors shall be liable to any or all of the following actions at the discretion of the Director General of Police, Meghalaya.
 - (i) Forfeiture of Security Deposit in whole or part.
 - (ii) Making good of the loss caused to the Govt. through the inability, neglect or delay in complying with any demand.
 - (iii) Cancellation of the Contract within 30 days notice to the Contractors

- (d) All losses sustained by the Govt. due to failure, omission or neglect of the Contractor, may be realized from his / her Security Deposit and outstanding dues or any other sums which may be due to his / her from the concerned Controlling Officers.
 - (e) The Successful Tenderers when appointed as Contractor will have to make their own arrangements for delivery to the District and Battalion Headquarters. No claim in any form and on any account for transport charges etc. will entertained by the Government.
8. (a) In the event of rejecting, failing, declining, neglecting or delaying to comply with any demand or requisition, the officer operating the contract, shall be at liberty (without prejudice of any other remedy the Department may have on account of any claim for compensation against loss and inconvenience caused by such breach) to order purchase or to procure or to arrange from Govt. stock or otherwise at the expense of the Contractors. Such Officer operating the contract from his Security Deposit and outstanding dues or any other sums which due to him/her for the concerned or any other District / Unit of the Department.
- (b) The Director General of Police, Meghalaya may rescind forthwith any Contract in writing if :-
- (i) A contractor assigns or sublets any Contract without his approval.
 - (ii) The Contractor or his Agent or Servants shall be guilty of fraud in respect of the Contract or any other contract entered into the Govt.
 - (iii) The Contractor declines neglects or delays to comply with any demand or requisition or in any other way fails to perform or observe any condition of the contract.

In case of such rescission, the Security Deposit in part or full at the discretion of the Director General of Police, Meghalaya, Shillong shall stand forfeited and be absolutely at the disposal of Govt. without prejudice to any remedy or action that the Govt. may have to take in terms of clause 8 (a). In case of such rescission the Govt. shall be entitled to recover from the Contractor any extra expenses the Govt. may be put to in obtaining supplies from elsewhere, in any manner mentioned in clause 8 (a) thereof, for the remainder of the period for which the Contract was entered into.

If a Contractor / Firm willfully neglects / fails to perform or observe any condition of Contract or attempts to cheat or indulge in foul practice with the motive of making undue gain, the Director General of Police, Meghalaya may impose ban/blacklist upon such Contractors/Firm for all future business with the Department.

Contractors are bound to supply items of Ration for which contractors are concluded. Substitute in lieu may be issued as and when it is warranted at the discretion of the Officer operating the contract.

9. (a) The Earnest Money of successful Tenderer will be returned as soon as the Security Deposit has been furnished, unless it is used as part of the Security Deposit. In respect of the unsuccessful Tenderers unless forfeited, it will be returned immediately after final rejection of the Tenders.
- (b) A formal letter of acceptance of the Contract will only be issued on production of required Security Deposit. Appointed Contractor will have to furnish Security Deposit in favour of Asstt. Inspector General of Police (Admn.), Meghalaya before execution of Contract. Seven(7) percent of the total values of the Contract calculated on the basis of approximate annual requirement of ration to be supplied by the particular Contractor will have to deposit as Security Deposit before execution of the Contract.

If the Tenderer fails to deposit the Security Deposit in time, the Earnest Money deposited by him/her shall at the discretion of the Director General of Police, Meghalaya be liable for forfeiture.

- (c) The Security Deposit will be released (if not forfeited to the Govt. or not adjusted against risk purchase) to the contractors immediately after successful completion of the Contract provided that the contract operating officers are satisfied with the accounts and performance of the contractors and that all accounts of the Contractors are clear and no demand in any form is outstanding or likely to be outstanding against the Contractors after the expiry of the date of operating of contract.
- (d) If any Tenderer withdraws his / her Tender before the date as specified above or the Tenderer refuses to enter into contract when awarded or fails to sign Contract deed, within the stipulated time after depositing Security Deposit as intimated to him / her, the Earnest Money deposited by him / her will be forfeited to Govt. and the Tenderer will be debarred from Tendering for any supply contract with Meghalaya Police for a period of 2 (two) years.
10. All articles must be of best quality. Rations of inferior quality considered below standard by the Indenting Officer, will be rejected. All rejected articles will be removed by the Contractors at his own cost immediately. The Administration shall not be in any manner to pay the Contractor expenditure or compensation for doing so.
11. The following standard specification of ration commodities will be strictly be adhered to :-
- (1) Dal : Of all the required varieties shall –
- i. Be of the best quality and free from dust, and foreign materials and any obnoxious odour.
 - ii. Show no sign of mould or insect infestation, moisture of lumpy condition.
 - iii. Be skinned.

- (2) Tea Leaves : Shall be B.O.P. (Broken Orange Pigou) and of the best quality and free from dust, dirt and foreign materials and good natural flavor and free from undesirable odour and discolouring.

- (3) Atta :
i. Should be of good milled quality and free from dirt, foreign materials and any obnoxious odour.
ii. Should not show any sign of mould or insect infestation, moisture or lumpy condition.

- (4) Potatoes & Onions –
Should be of best quality, safe and sound free from diseases, mould, blight and fit in all respect.

They shall be good average size and shall not contain excessive moisture and free from dirt. No potatoes & onions that pass through a 39 mm (1 ½) circular mesh will be accepted.

Old potatoes should not be average more than 20 kgs and while new potatoes should not be more than 1 to 18 kg.

- (5) meat shall be the products of healthy, well nourished stock and free from any appearance of ill health which is to be examined by the concerning office or Department Doctor. All animals (sheep, goats, etc) Tender will conform to specification for livestock. The animals shall be inspected and passed by Indenting Officer or his representative before acceptance of the supply. No female live stocks which are pregnant will be accepted.

12. The contractors shall be required to maintain reserve stock at all time for not less than 2 (two) months of requirement of rations stock.

13. Fresh vegetables:-

- i. The vegetables shall consist of seasonal varieties, vegetables should be fresh and free from discoloration and fungi.
- ii. Before acceptance unnecessary leaves and roots of vegetables shall be removed. The different varieties of vegetables of each season and of the percentage in respect of such varieties thereof is to be supplied as mentioned in the Schedule attached to this NIT.
- iii. All articles of rations will be subject to test by Government Analyst. The contract operating officers may whenever they consider necessary send samples of any item of food stuff to the Government Analyst for examination. In case chemical analysis reveals food adulteration, action will be initiated against the concerned supplier as per law.

14. The samples furnished by the approved tenderer will be examined by the Public Analyst if considered necessary. Some samples from the bulk supply made by the contractors at any time during currency of the contract may be sent for chemical examination under the Food Adulteration Act. In case the samples are found to be contaminated the concerned supplier will be terminated without notice with forfeiture of security deposit and other action as per law will be initiated against the supplier.
15. The acceptance or rejection of the Tender rest finally with the Director General of Police, Meghalaya who reserve the right of rejecting any Tender or any item in a Tender or any Schedule without assigning any reason thereof. The lowest Tender may not necessarily be accepted and the decision of the Director General of Police, Meghalaya, Shillong in this regard will be final and binding. The Director General of Police, Meghalaya, Shillong may carry out negotiation with any Tenderer for reduction of rates before finalization of the contract. The following instructions are required to be adhered to:-
- (a) No voluntary offer of reduction of Tender rates will be considered as valid.
 - (b) If asked by the Director General of Police, Meghalaya for reduction of the rates the Tenderers will be required to intimate their reduction offer or otherwise in writing within the specified date.
 - (c) Successful Tenderers will be required to furnish security deposit and execute contract agreement to ensure fulfillment of the terms and conditions of the contract which the successful tenderers will have to enter into.
16. (1) The requirement shown in the Schedule are only approximate and are given only as a rough guidance. No claim for compensation will be made or entertained in case the quantital be over drawn or not drawn at all. All indents for supply must be complied with by the Contractor without question raised.
- (2) No claim for any compensation in any form will be entertained in case any contracted items of Ration are not drawn from the appointed contractors for certain periods in the interest of State economy.
- (3) The appointed Contractors shall supply rations during the currency of Contract at rates agreed to in the contract Agreement. During the currency of contract the Contractors cannot claim for the enhancement of contracted rates.
- Contractors or their representatives employees will remain all along present at the delivery Station to honour day to day indents for supplies of contracted rates.
- (4) All appointments of the Contractors for supply of ration will be subject to verification of antecedents and will be liable to cancellation in case adverse report of antecedents comes to light as a result of such verification.

- (5) A contract may be terminated by the Director General of Police, Meghalaya giving 20 days notice in writing without assigning any cause and contractors will have no right to terminate contract during the currency.
 - (6) Contract should be run by the appointed Contractors themselves. No power of delegating merge of contract in favour of any individual or firm shall be accepted.
 - (7) Payment to the Contractors for their supplies shall be made by the Controlling Officers concerned after ration bills are countersigned by the Asstt. Inspector General of Police (Admn.), Meghalaya, Shillong.
17. Any incomplete Tender or a Conditional Tender will not be accepted and shall be rejected.
18. In the interest of Finance of the State the item of Ration may be obtained at any place and for any period from Govt. sources at the discretion of the Director General of Police as the case may be under direct departmental arrangement. Any or all of the items may not be drawn from the Appointed Contractors and this ration will be obtained from Govt. sources for the duration of such contingency. When any of the items is not available in sufficient quantities from the appointed sources to meet the full requirements, the appointed contractor will be required to supply the remaining requirements of any or all these items and will be paid for at the contracted rates for those items supplied by them.
19. Similarly no claim for any compensation in any form will be made or entertained in case the requirement of any contracted item/items of rations are not drawn in part or in full from the appointed contractors on account of alternative arrangement made by the Department for procurement of such items of rations in the interest of State economy.

Asstt. Inspector General of Police, (Admn.),
Meghalaya, Shillong.

TENDER NOTICE.

Sealed Tenders, for Supply of Rations/Tinned Milk to the entitled Meghalaya Police Battalions Meghalaya/Vikaspuri New Delhi & Rations to Police Dog Squad at Pynthorumkrah, Shillong and Tura invited for the year 2017-2018. These will be received by the undersigned upto **25th November, 2016 till 1300 hrs** and will be opened on the same day. Full details are available in office of the undersigned during office working hours.

Asstt. Inspector General of Police, (Admn.),
Meghalaya, Shillong.

N.B. Please

1. Separate Tender for each group should be submitted.
2. Rates should be quoted FOR destination.
3. Meghalaya Sales Tax or other taxes applicable must be quoted separately.
4. Separate Earnest money should be submitted.
5. Upto date Sales Tax Clearance Certificate VAT registration certificate to be furnished.
6. Trading Licence in case of non-tribal firms/suppliers whose business establishment fall under the jurisdiction of the District Council.
7. Upto date financial stability Certificate from the competent authority to be furnished.
8. certificate issued by Health Inspector, Health Department in respect of food adulteration.
9. Separate Tender to be submitted for the following:-
 - i) 1st MLP Bn., Shillong.
 - ii) 2nd MLP Bn., Tura.
 - iii) 3rd MLP Bn., (IRBn.) West Jaintia Hills, Khliehtyrshi.
 - iv) 4th MLP Bn., (IRBn.) Sohpian, West Khasi Hills, Nongstion.
 - v) 5th MLP Bn, Samgong, Williamangar.
 - vi) 6th MLP Bn., IRBN, Shillong/Vikaspuri New Delhi.
 - vii) Spl. Force -10.
10. All Tenders Should be properly sealed.
11. Covers should be conspicuously marked Tender for Group 'A', Group 'B', Group 'C', Group 'D' (Dry/Fresh) Ration as the case may be.
12. Tender for supply of Ration to Police Dog Squad at Pynthorumkrah, Shillong.
13. Tender for supply of Ration to Police Dog Squad at Tura.
14. Tenders which do not meet any of the above requirement are liable to be rejected.

SCHEDULE OF ITEMS**Group 'A' (Dry Ration)**

Sln.	Items	Scale per head per month
1.	Atta	3.00 Kgs
2.	Dal	3.00 Kgs
3.	Refined Oil / Mustard oil	2.50 Litres
4.	Tea Leaves	600 grams
5.	Safety Match	1.6 (yearly)
6.	Sugar	2.00 Kgs
7.	Salt	300 grams
8.	Rice	15 Kgs (for 3 rd , 4 th , 5 th and 6 th , SF-10 Only)

Group 'B' (Dry Ration)

Sln.	Items	Scale per head per month
1.	Onion	2.00 Kgs
2.	Potatoes (roots & tubers)	4.00 Kgs

GROUP - C

[illegible]

Group 'D' (Fresh Ration)

Sln.	Items	Scale per head per month
1.	Meat on hoof	6.00 Kgs

SCHEDULE OF ITEMS (DOG SQUAD) at Pynthorumkhrah, Shillong

Sln.	Name of Articles	Daily requirement per dog
1.	Cow milk (fresh)	1 (one) Litre
2.	Rice (good quality)	500 (grams)
3.	Loaf (100 grams) each	2 Nos.
4.	Beef (without bones & intestine)	700 grams
5.	Eggs (chicken)	2 Nos.

SCHEDULE OF ITEMS (DOG SQUAD) Sanctioned at 2nd MLP Bn, Goeragre.

Sln.	Name of Articles	Daily requirement per dog
1.	Cow milk (fresh)	1 (one) Litre
2.	Rice (good quality)	500 (grams)
3.	Loaf (100 grams) each	2 Nos.
4.	Beef (without bones & intestine)	700 grams
5.	Eggs (chicken)	2 Nos.
6.	Fire wood	
7.	Dog collar	
8.	Dog comb	
9.	Dog shampoo	
10.	Dog Soap	
11.	Cross Belt	
12.	Leather Belt	
13.	Dettol	
14.	Bleaching Powder	
15.	Phenyle	
16.	Steel wool/wipo	
17.	Floor wiper	
18.	Degchi	
19.	Axe	
20.	Hammer	
21.	Black Soap	

TENDER NOTICE

To,

The Asstt. Inspector General of Police, (Admn),
Meghalaya, Shillong.

Subject: **Tender for supply of Dry / Fresh Ration in Group-wise AB/AR Scale to the entitle Police Personnel of 1st MLP Bn. Mawiong, 2nd MLP Bn. Georagre, 3rd MLP Bn. Khliehtyrshi, 4th MLP Bn. Sohpien, 5th MLP Bn, Samgong , 6th MLP Bn Camp, Shillong/ Vikaspuri New Delhi and Spl Froce-10 for the year 2017-2018 (w.e.f. 1.4.2017 to 31.3.2018).**

Sir,

In response to your Tender Notice dated _____ I/We have the honour to submit my/our Tender as follows: -

1. Earnest Money:- Rs.10,000/- deposited as per Deposit Receipt No. _____ dated _____ is attached herewith for Group – A, B, C & D (as the case may be).
2. Security of deposit :- 7% of the total value of the contract will be deposit in accordance with the Tender Notice.
3. Place of delivery :- Delivery will be made in the Battalion Headquarter or any place within the State of Meghalaya as indented by the Indenting Officers. No extra charges will be preferred for delivery of ration in different places.
4. (a) I/We do Hereby agree to abide by all the terms and conditions of the Tender Notice dated _____ issued by you for Supply of Dry and Fresh Ration to the Meghalaya Police Personnel during the year 2017-2018 in response to which I/We submit Tender herewith.
(b) I/We undersigned do hereby also agree that on acceptance of my/our Tender to supply the above mentioned commodities at the rate quoted for the full period of the currency of the contract as per instructions laid in Memo No. _____

Dated _____ issued by you.

Signature of Tenderer.

Full Address:-

TENDER FORM

To,

The Asstt. Inspector General of Police, (Admn),
Meghalaya, Shillong.

Subject: **Tender for supply of Ration to Police Dog Squad at Shillong (Pynthorumkhrach)/Tura for the year 2017-2018 (w.e.f. 1.4.2017 to 31.3.2018).**

Sir,

In response to your Tender Notice dated _____ I/We have the honour to submit my/our Tender as follows: -

1. Earnest Money:- Rs.1,000/- deposited as per Deposit Receipt No. _____ dated _____ is attached herewith for Dog Squad (as the case may be).
2. Security of deposit :- 7% of the total value of the contract will be deposit in accordance with the Tender Notice.
3. Place of delivery:- Delivery will be made at Police Dog Squad at Pynthorumkhrach, Shillong / Tura as indented by the Indenting Officers. No extra charges will be charged for delivery of ration.
4. We/I agree to accept part tender on item-wise rates as ordered by you.
 - (a) I do hereby agree to abide by all the terms and conditions of the Tender Notice dated _____ issued by you for Supply of Ration to the Meghalaya Police Dog Squad during the year 2017-2018 in response to which I submit Tender herewith.
 - (b) The undersigned do hereby also agree on acceptance of my Tender period of the Currency contract as per your instruction laid in the Tender Notice dated _____

Signature of Tenderer.

Full Address:-

TENDER NOTICE

To,

The Asstt. Inspector General of Police, (Admn),
Meghalaya, Shillong.

Subject: **Tender for supply of Cream Sweetened Condensed Tinned Milk to the different Units of Meghalaya Police Battalions and at Vikaspuri, New Delhi during the year 2017-2018.**

Sir,

In response to your Tender Notice _____ I/We have the honour to submit my/our tender as follows: -

1. Earnest Money of Rs.10,000/- (Rupees ten thousand) only deposited as per Deposit Receipt No. _____ dated _____.
2. Security of deposit 7% of the total value of the contract will be deposit in accordance with the Tender Notice.
3. Delivery will be made at the supply points of District/ Battalion/Hqrs of the Police Department, Meghalaya or any other places within the State of Meghalaya including Vikaspuri, New Delhi as required by the Indenting Officer without any extra charges.
4. Rate (Inclusive of taxes etc.)

In figure/in words

Brand	Rate Per 100 Kgs (in figure / in words)	Mode of packing the stuff for delivery.
-------	--	---

5. (a) I/We do hereby agree to abide by all the terms and conditions of the Tender Notice dated _____ issued by you for Supply of Full Cream Sweetened Condensed Milk to the Meghalaya Police Personnel as mentioned in the Schedule of the Tender Notice for the year 2017-2018 in response to which I/We undersigned submit my/our tender herewith.
(b) I/We undersigned do hereby also agree on acceptance of my/our Tender to supply the above mentioned commodity at the rate noted as above for the full period of the currency of the contract as per instructions laid in the Tender Notice.
(c) I/We do hereby agree to accept the Contract on percentage of Unit-wise basis as per Tender Notice.

Signature of the Tenderer _____

Full Address _____

Dated _____

OFFICE OF THE SPECIAL DIRECTOR GENERAL OF POLICE
SPECIAL BRANCH : MEGHALAYA : SHILLONG

TENDER NOTICE

2016-2017

Shillong, the 25th October, 2016.

No.MSB/VI/Tech/Tender/GHBDD/2016-2017/42. - Sealed tender affixing non-refundable Court Fee Stamp as under: -

Where the tender value:

- (a) Not exceeding Rs. 5,000/- = Rs. 25/- only.
- (b) Exceeding Rs. 5,000/- but not exceeding Rs. 50,000/- only. = Rs. 50/- only.
- (c) Exceeding Rs. 50,000/- but not exceeding Rs. 1, 00,000/- only = Rs. 100/- only.
- (d) Exceeding Rs. 1,00,000/- but not exceeding Rs. 5,00,000/- only = Rs. 200/- only.
- (e) Exceeding Rs. 5,00,000/- but not exceeding Rs. 15,00,000/- only = Rs. 300/- only.
- (f) Exceeding Rs. 15,00,000/- but not exceeding Rs. 25,00,000/- only = Rs. 400/- only.
- (g) Exceeding Rs. 25,00,000/- but not exceeding Rs. 1,00,00,000/- only = Rs. 1000/- only.
- (h) Exceeding Rs. 1,00,00,000/- ----- only = Rs. 2000/ only.

are invited from bonafide, established, reputed manufacturers and registered reputed intending firms and supplier(s) for entering into rate contract for supply of Security/BDD equipments under Modernization Scheme, 2016-2017 as per list at Annexure " A ", and terms and conditions laid down in the Tender Notice. Tender should be in 2 (two) Bids system *i.e.*

i) Technical Bid and

ii) Price Bid

1. Terms and Conditions:-

Items offered must be of reputed companies/manufacturers and should meet with all the Technical Specifications as given in Annexure" B". Tender should be accompanied with catalogues/Brochures/ warranty/guarantee and will be received up to 1200 hrs on the **25th November, 2016 (Friday)** by hand or by post. These will be opened on the same day at **1500 hrs.** Tenderers or their authorized representatives are invited at the time of opening of the tender.

2. (i) Tender must be accompanied by the following documents in Technical Bid

- a) Affixed non-refundable court fee stamp as required above.
- b) Authenticated copy of rate contract with DGS & D if tenders have any existing and valid rate contract with DGS & D.
- c) Attested Passport Size photograph of the bidder.
- d) Authenticated copy of authorised Dealership Certificate from the Manufacturers or Principals who has authorised dealers specifically certifying that the tenderer is authorized to deal with the equipments quoted in the tender notice. Separate Dealership Certificate will be required to be furnished by the tenderer if asked for in the list of items.
- e) Attested copy of SC/ST Certificate issued by the concerned competent authority

(For Tribal tenderer).

- f) Earnest money at the rate of 5% (Five percent) in case of non-tribal and at the rate of 2% (Two percent) in case of tribal from the total value of the items tendered, in any one of the following forms only:

- (i) Crossed bank draft; or,
- (ii) Deposit at Call.
- (iii) NSC.

Payable to 'Special Director General of Police, Special Branch, Meghalaya, Shillong, at any Nationalised Bank at Shillong.

- g) Attested copy of valid VAT Clearance Certificate and VAT Registration. TIN of the tenderer should be enclosed.
- h) Financial stability Certificate from any Nationalized Bank or Deputy Commissioner concerned.
- i) Catalogues/Brochures with detailed Technical Specifications from the manufacturers for each item quoted.
- j) Attested copy of valid Professional Tax Clearance Certificate.
- k) **Attested copy of valid Trading Licence from any of the District Councils in Meghalaya, namely (1) Khasi Hills Autonomous District Council (KHADC) (2) Jaintia Hills Autonomous District Council (JHADC) (3) Garo Hills Autonomous District Council (GHADC) will have to be furnished by Non-Tribal and Non- Indigenous Tenderer.**
- l) All documents from SI No. b to e and g, h, j and k should be duly attested by a Gazetted Officer.

Note :- Failure to enclose any one of those above documents or any invalid documents may result in rejection of the quotation.

2. (ii) Tender must be accompanied by the following document/detail in Price Bid :

- a) ***Rate of each item quoted should be placed in separate sealed envelopes.**

3. The following information must be mentioned on the body of the envelope containing the quotations, failing which the sealed envelope of the quoting firm will not be opened:

- (a) Sales Tax/VAT certificate whatsoever is applicable, _____ is enclosed.
- (b) Earnest Money _____ is enclosed.
- (c) Court Fees Stamps _____ is enclosed.
- (d) Dealership Certificate from the Principal manufacturers. --- is enclosed.
- (e) SC/ST Certificate (for Tribal). --- is enclosed.
- (f) Passport size photograph of the bidder - is enclosed.
- (g) "Technical Bid "on the body of the of the sealed envelope of Technical Bid and "Price Bid for.....(name of the item)" on each sealed envelope of item quoted.

4. Rates quoted:

- (a) Should be inclusive of all taxes, levies, charges, packing, insurance, taxes and other installation/incidental charges up to the Office of the Special Director General of Police, Special Branch, Meghalaya, Shillong. Only local taxes should be shown separately, if applicable.
- (b) **Should be inclusive of the cost of all the accessories for each item up to March, 2018.**
- (c) Should be valid for 1 (one) calendar year from the date of acceptance of tender.
- (d) Should be quoted separately for each item and in words and rates should be for 1 (One) item 1 (One) rate basis. **Same items with optional rates and optional quality will not be entertained and out rightly rejected.**
- (e) Should be quoted F.O.R. destination the Special Director General of Police, Special Branch, Meghalaya, Shillong.
- (f) Should be written clearly in figures and in words and all values should be in Indian Currency. Any alterations or over writing must be fully signed by the tenderer along with the date.
- (g) Once the rates offered in the quotation are accepted, no enhancement will be entertained at any circumstances and tenderers will be liable to supply the items at the rate accepted by the Special Director General of Police (SB) Meghalaya, Shillong. Failure to supply the items at the accepted rates will entail the offer being cancelled and the Security Money will be forfeited to the Govt. of Meghalaya.
- (h) For import items rate should indicate separately i.e rates with **Custom duty and rates without Custom Duty.**

- 5. Tenderer must sign all pages of the Bid (Both Technical and Price Bid) and also submit the signed Undertaking Certificate at Annexure – 'C', as a proof of the tenderer having fully understood the terms and conditions mentioned in the NIT.
- 6. Tender/quotation should be addressed to the undersigned by designation and not by name. Sealed envelopes containing the quotation must be super-scribed as, **'Tender for Supply of Equipments for two Nos. of BDDS Squads in Williamnagar and Baghmara for the year , 2016-2017'** and sent by registered post or hand delivery. The tenderer should affix his full address on the left bottom of the envelope containing the tender documents.
- 7. In no case tenders received after due date and time shall be accepted and the Special Director General of Police, Special Branch, Meghalaya, Shillong shall not be responsible for any delay in submission of tender. All Tenders received after the due date and time shall be returned to the respective tenderer without opening the same.
- 8. Due to any unavoidable reason(s) if the office of the Special Director General of Police (SB) remains closed on the date prescribed for submission/opening of the tenders, the tenders will be received during the next working day at the same venue and the same timing.

9. **The successful tenderer will be:**

- a) Intimated by letter of acceptance/ Supply Order of Special Director General of Police, SB, Meghalaya, Shillong. Till then, no bidder has any right to assume that his/her quotation has been accepted. There shall be no claim for compensation for any expenditure incurred by any tenderer, in anticipation of acceptance/Supply Order letter.
- b) Required to furnish a Security Deposit as per rates mentioned below and execute the Contract Agreement to fulfillment of the terms and conditions of the contract, which successful tender(s) will have to enter into. Such Security Deposit will be subjected to forfeiture in case of non-fulfillment of terms and conditions of the tender notice on the Contract Agreement. The Earnest money of the successful tenderer will not be released till the Security Deposit is furnished. Earnest Money of the successful tenderer(s) will be forfeited to the Govt. of Meghalaya in case of failure to furnish security money.

10. **Rates of Security Deposit in the form of (i) Deposit at call (ii) NSC/KVP (III)**

Fixed Deposit:-

- a) For contract up to Rs. 20,000/- 2% from local and 3% from non-local.
- b) For contract up to Rs. 50,000/- 3 % from local and 4 % from non-local.
- c) For contract up to Rs. 1,00,000/-..... 4 % from local and 5% from non-local.
- d) For contract over to Rs. 1,00,000/- 10% for all categories. (As per decision of DPB held on 4th April, 2009)

11. The Special Director General of Police, Special Branch, Meghalaya, may rescind forthwith the contract in writing if:

- (a) A contractor assigns or sub-lets any contract in respect of any other entered into with the Government.
- (b) Tenderer or his agent or servants are found guilty of fraud of this contract or any other contract.
- (c) Declines, neglect or delays to comply with demand/requisition or in any other way fails to perform or observe any condition of or all conditions of the Contract Agreement.

12. In case of such rescission, the Security Deposit, in full, shall stand forfeited and absolutely be at the disposal of Government without prejudice to any other remedy or action that the Government shall be entitled to recover from the successful Tenderer any

extra expenses Government may deem necessary in obtaining the supplies.


- i) In the event of the successful Tenderer failing to perform his/her part of any or all the contract agreement to the satisfaction of the Department of disregarding terms and conditions of the Tender Notice and or the contract agreement the successful Tenderer shall be liable to any of or all of the following action at the discretion of the Special Director General of Police (SB) Meghalaya, Shillong on behalf of the Government of Meghalaya.
 - ii) Forfeiture of security deposit in whole or part.
 - iii) Making good the loss caused to the Government through the liability, neglect.
 - iv) Delay in complying with the demand.
 - v) Cancellation of the contract without any prior notice to the contractor.
13. If the successful Tenderers willfully neglects, fails to perform or observe any or all conditions of the contract agreement or attempts to cheat or indulge in foul practices, the Special Director General of Police (SB), Meghalaya, Shillong may impose a ban upon such Tender(s) for future business within the Department.
 14. Quantities mentioned in the list are only illustrative and may be increased/ reduced on finalizations of order depending on the availability of fund and actual requirements.
 15. Once the Model is approved, no change of brand name, shape, pattern, quality or specification will be entertained even on the plea on non-availability offer of the same quality or alternative offer of the same quality.
 16. The store supplied must be of the same models/specifications as approved by the Departmental Purchase Board as well as in the Supply order. The Special Director General of Police (SB) Meghalaya, Shillong reserves the right of non-acceptance of items which are not found as per the prescribed specification.
 17. Delivery & Installation must be completed within 60(Sixty) Days from the date of receipt of firm orders, risk of transportation will be borne by the successful tenders themselves. No extension of delivery period will be entertained.
 18. Payment will be made to the suppliers directly, only on completion of supplies, installation and on correct receipt of goods by the respective consignee in good condition. Documents/vouchers/P.R Bills etc. routed through Banks will not be accepted. Consignment will dispatch by the firm after payment of all freight charges at the sources. Freight to pay P.R Bill will not be accepted.
 19. Risk of transportation will be borne by the Tenderer themselves.
 20. Comprehensive onsite warranty should be indicated along with after sale services facilities.
 21. One set of manual of (Instruction and Maintenance) should be supplied free of cost for

each item wherever applicable.

22. The purchase Board reserves the right to reject the lowest rate or any of the tender without assigning any reason.
23. Any dispute arising out of or in respect of these terms and conditions of the Contract Agreement shall be in the jurisdiction of the Courts in Meghalaya.
24. The items for which the tenderers would be quoting must fulfill the given technical specifications the samples of which have to be produced at their own cost and free from all liabilities by the tenderers before the Technical Committee for technical evaluation/ vetting at the specified place and time, which will be intimidated to the tenderers. Items which do not fulfill the required specification and not produced before the technical committee will not be accepted.
25. If the trade enquiry reveals that the item being offered is being manufactured by a Public Sector Undertaking (PSU), the Purchase Board reserves the right to reject the tenders and purchase the item directly from the Public Sector Undertaking (PSU).
26. **The Tender should be in 2(two) Bids i.e. (1) Technical Bid and (2) Price Bid.** Tenderer should submit separate sealed cover for Technical Bid and separate for Price Bid. Price Bid should be submitted in a separate sealed cover for each item quoted. Tender Opening Committee of the Office of the Special Director General of Police, Special Branch, Meghalaya, Shillong will open the Technical bid in the presence of the representatives of the tenderers if any. The Technical Bids will be properly evaluated by the Committee and only that quotations/Bids which fully complies with the terms and conditions prescribed in NIT and also the prescribed Technical Specifications enclosed with the NIT of this office will be accepted. Price Bids of only those Technical Bids which fully conforms to our required Technical specifications will be opened.
27. The tenderer should quote only 1(one) Offer per item, tenderers quoting different options of the same item will be summarily be rejected.

N.B: Details can be obtained from the office of the undersigned on any of the working days between 10:00 A.M. to 4:30 P.M. Tenderers are requested to visit megpolice.gov.in for details and download of NIT and specifications.

Special Director General of Police (SB),
Meghalaya, Shillong.

IMPRINT FOR PUBLICATION IN NEWSPAPERS**TENDER NOTICE**

Sealed tenders along with Brouchers/Catalogues for supply of Security items to the O/o the **Special Director General of Police (SB), Meghalaya, Shillong** for two Nos. of BDDS Squads in Williamnagar and Baghmara for the year 2016-2017, will be received by the undersigned up to **1200 hrs on the 25th November, 2016**, and will be opened on the **same day at 1500 hrs** by the undersigned. Details may be collected from the office of the undersigned on any working days between 10:00 Am to 4:30 p.m.

Special Superintendent of Police, (SB-II),
Meghalaya, Shillong.

CERTIFICATE OF ACCEPTANCE OF TERMS AND CONDITIONS

(To be furnished along with the tender documents)

I/We have read and fully understood the terms and conditions as laid down in the NIT. Vide No. MSB/VI/Tech/Tender/GHBDD/2016-2017/42, dated 25th October, 2016 in respect of supply of Security equipments to the Office of the Special Director General of Police, Special Branch, Meghalaya, Shillong due to be opened on 25th November, 2016.

I/We agree to abide by the same.

I/ We have signed all the pages of the tender documents as laid down.

Signature and seal of the Tenderer or
his/her Authorized signatory.

Dated.....

Name

Address

.....

Phone No.....

Annexure- 'A'.

LIST OF EQUIPMENTS PROPOSED TO BE PURCHASED.**A. 2016-2017**

<u>Sl. No.</u>	<u>Item.</u>
1.	Bomb Suit with Cooling System.
2.	Real Time Viewing System (RTVS).
3.	Deep Search Mine Detector (DSMD)
4.	Bomb Blanket with Safety Circle
5.	Bomb Trailer Indigenous
6.	Bomb Basket
7.	Digital Camera
8.	Cable Locator
9.	Telescopic Prodder Metallic
10.	Hook and Line Set
11.	Telescopic Search Mirror
12.	Bomb Truck (TATA 407)
13.	RSP Tool Kit
14.	LED Search Light
15.	Explosive Vapor Detector
16.	Water Jet Disrupter
17.	Drilling Machine
18.	Search Kit Tool (SKT)
19.	Telescopic Manipulator
20.	Non Magnetic Tool Kit
21.	Portable Generator Set (small)
22.	Halogen Lamp
23.	Mega Phone
24.	Swiss Army Knife
25.	Multimeter

Specifications for the above are enclosed in Annexure 'B'

ANNEXURE “B”

(Technical Specifications)

QRS BOMB SUIT (NSG SPECIFICATIONS)**1. The suit should consist of the following items, which collectively make a complete garment:-**

- (a) Jacket with collar, Chest and Groin Plates.
- (b) Trousers- adjustable and Back Protector.
- (c) Boot protector/Over shoes.
- (d) Helmet with EOD and Breathing Apparatus (BA) Visors.
- (e) Hand Gloves.
- (f) Transit bag.
- (g) Integrated Groin Protector (IGP).
- (h) Hydration bag.
- (j) Complete Cooling Suit.

2(a). The suit protection performance figures should be for the NATO Stanag 2920 or MIL Standard 662F, 17 grain fragment simulator-V-50 (Firm to submit lab test report from National/International accredited Lab):-

- (i) Front Chest – 1600 M/Sec or better.
- (ii) Front Groin – 1600 M/Sec or better.

2(b). The suit protection performance figures should be for the NATO Stanag 2920 or MIL Standard 662F, 17 grain fragment simulator- V-50 (Firm to submit lab test report from National/International accredited Lab):-

- (j) Sleeves Front – 560 M/Sec or better.
- (ii) Collar Front - 850 M/Sec or better.
- (iii) Trousers Front Thighs – 690 M/Sec or better.
- (iv) Trousers Front Shins – 620 M/Sec or better.
- (v) Boot Cover – 450 M/Sec or better.

3. Cooling Suit.

- (a) The Fabric should be washable.
- (b) The heat removal rate should be at least 270 watt (full suit) or better (Firm to submit lab test report from National/International accredited lab).
- (c) Should enable the operator to wear it comfortably for minimum of 30 minutes with ambient temperature at 35°C or more.
- (d) The pump should be operable by a Dry/rechargeable battery.
- (e) Should be available in different sizes to suit users requirement.
- (f) A second water/ice bottle should be supplied for standby.
- (g) The cooling source should be ice and water.

4. Ballistic EOD Helmet Protection performance (Firm to submit lab test report from National/International accredited lab).

- (a) V 50 (helmet) 600 M/Sec or better.
- (b) V 50 EOD & BA visor 700 M/Sec or better.
- (c) Weight with EOD & BA visors not more than 8.50 Kgs.
- (d) The system should have an arrangement to accommodate full face mask inside the visor for breathing in an NBC environment
- (e) **Ventilation and Demisting:** A helmet mount fan should provide effective ventilation and

- replaceable demisting arrangement with control unit within easy reach of the user.
- (f) **Environmental Awareness.** The helmet should have built in microphone for operator to hear all the conversation taking place in the vicinity.
 - (g) **Two way Communication.** It should provide a two way communication whether on radio or wired between operator and officer in charge upto a distance of 100 meters.(Wired communication being optional depending on user requirements)
 - (h) **Search Light.** The helmet must be fitted with a search light mounted on the visor for working in dark conditions.
 - (i) **Live Video Camera:** Helmet must have a integrated facility into its visor for Live Video transmission to a command post located at a distance of 200 mtrs LOS and 100 mtrs in BUA. (Non line of sight)
 - (j) The system must have voice activated, hands free controls of electronic features including light, audio levels, ventilation and demisting. However, these electronic features should also be operated through a separate console ergonomically located on suit.
5. (a) **Immediate removal/quick release of the jacket should be achieved.**
- (b) The jacket should have an arrangement for keeping working tools.
 - (c) All soft ballistic pouches must be removable in order to maintain outer Shell.
6. **Trousers.**
- (a) The trousers should be adjustable catering for different sizes.
 - (b) Immediate removable/quick release of the trouser should be achieved.
 - (c) Back protector should be fitted to the trouser.
 - (d) Trouser boot should be adjustable and also removable.
7. **Power Pack.**
- (a) A rechargeable power pack should be suitably placed.
 - (b) It should have battery level indicator.
 - (c) Recharging. A suitable charger should be provided for rechargeable.
8. **Weight.** Overall operating weight including helmet, cooling suit, complete suit , communication support and live audio video system etc should not exceed 50 Kgs.
9. **Back Bone Protection.** The suit should provide a high impact back bone protection arrangement (Firm to submit lab test report from National / International accredited Lab).
10. **Operational Time.** It should not take more than 10 minutes to wear the suit with all accessories, when assisted by a trained technician.
11. **Static Discharge.** The bomb suit should have protection against static charge.
12. **Miscellaneous.** The firm should be able to provide the following as applicable, along with the equipment:-
- (a) Sets of all kinds of spare rechargeable batteries used in suit, cleaning kit.
 - (b) SMT (Special Maintenance Tools), if any.
 - (c) Training aids – charts, slides, training brochure, training work model, blow up diagram, video films etc, if any.
 - (c) Proof schedule to include details of inspection and acceptance criteria.
 - (d) Technical Manual in English giving full description of the item.

- (e) User Hand Book in English.
- (f) Literature on preservation/maintenance in English.
- (g) Specification for packing, handling/transportation/storage.
- (h) Details regarding periodical inspection by the user.

QRS OF REAL TIME VIEWING SYSTEM (RTVS) (MHA)
TECHNICAL SPECIFICATIONS AS PER MHA

1. The system should be as lightweight in weight as possible. The system should be compact and easy to set up.
2. All components should be portable.
3. The system should be able to function with both pulsed and continuous X-ray source.
4. Real time measurement of any object on screen should be possible.
5. The system should have a laptop based control and display unit along with a compatible video camera unit.
6. X-Ray Generator should be light in weight and capable of being operated remotely.
7. The RTVS should be mountable/ suspend able from the ROV and Mini ROV and the mounts be included in the equipment.
8. To facilitate the off site study the system should be supported by a hardware and software capable of image recording on a storage media i.e., CD, Pen Drive, etc.
9. The software be menu driven and should facilitate the operator to choose from the wide range of functions provided by the software.
10. The software should have the facility of zooming the image along with the ability to scroll the full image (200 to 400%).
11. The system should be able to store minimum 1000 images in its data base library with the capability of annotation.
12. The software should provide image enhancement facilities as under:-
 - (a) Polarity and Pseudo coloring facility.
 - (b) Brightness & Contrast control.
 - (c) Split screen capability.
 - (d) Sharpening of images.
 - (e) 3D effect of a image.
 - (f) Tilting/Rotation of an image.
 - (g) On screen measurement facility (both inches and mm)
 - (h) Over Lay capability should be supported.
 - i) Multiple Undo/Redo and Restore original functions.
13. The system should have an option for wireless operation.
14. For easy field use the system should be operated with rechargeable battery and should have additional facility of operating with AC power supply.
15. The system should have a battery low-level indicator.

16. The system should have an anti virus software to protect stored data.
17. The system should be capable of operating in the temperature range of -15°C to + 45°C.
18. Exposure time for X-ray (1-99 Pulses or better) should be adjustable depending on type of object to be viewed on X-Ray and these controls should be available in the software as well as X -Ray Generator. Accumulation of pulses on Image Capture Unit should be possible.
19. The laptop should be configured with the latest version of software
20. Audio and visual warning during the X-Ray activation should be available
21. Image Capture Unit (ICU) should be available in different sizes i.e small / medium / large (Ranging from 150 mm to 330 mm x 110 mm to 440 mm).
22. All types of accessories and consumable items required for functioning of the equipment should be available in the market.
23. **Laptop Specifications:**
 - (a) Screen: at least 14" TFT with 1024x768 Resolution, 16.7 million colours, 256 gray levels.
 - (b) Processor: PIV 1.66 GHz or Higher 1 MB Cache. (c) Hard Disk: 80 GB or Higher.
 - (d) Drives: 3.5" Floppy Drive, CD RW or higher, Card Slot, USB 2.0 Slots x 2 (Or Better Specifications)
 - (e) Operating System: Windows XP Professional or Later version.
 - (f) Visual Database: Storage of at least 10,000 images including data, user name, date, time, category, place, filename, project name, type of ICU, type of X-Ray and Description. Capability to backup and restore the database. Quick save and project functions.
 - (g) Split screen with synchronized scrolling capabilities. (h) Built in email access.
 - (k) Audible and visual warning during 'X-Ray activation, incorrect setup, etc.
24. **Misc:** The firm should be able to provide the following as applicable, along with the equipment-
 - (a) Technical Manual giving full description of the item.
 - (b) User's Hand Book.
 - (c) Literature on preservation technique, as applicable.
 - (d) Specification for packing, handling/transportation/storage.
 - (e) Details regarding proof/periodical inspection by the user.
 - (f) All the above tools should be packed in a pelican case with wheels and the equipment should fit into space provided inside.
25. There is no limit on the positive tolerance.

QUALITATIVE REQUIREMENTS : DEEP SEARCH MINE/METAL DETECTOR (DSMD)
TECHNICAL SPECIFICATIONS AS PER MHA

1. **Physical Characteristic:** The detector and its accessories should be lightweight and made of non corrosive (exceptionally corrosion protective) materials should have proven reliability and durability.
2. **Weight and Dimension**
 - (A) **Length of Telescopic rod.** Search head should be connected with a telescopic rod, which should allow prolonged usages by the operator in Knelling. Standing and lying position without causing under fatigue for both minimum and maximum extension. The length of telescopic rod should be :
 - i) Collapses 700mm (+- 10%)
 - ii) Extended 160 mm (+- 10%)
 - (B) **Weight**
 - (i) Telescopic pole and search head (maximum) 2kgs
 - (ii) Electronic control unit (maximum) 2kgs
 - (iii) The maximum operating weight of the Equipment including telescopic pole, search Head and control unit (maximum) 4kgs
 - (iv) Bag weight including accessories of detector 4.5 kgs
 - (v) Total weight of the equipment including carrying Case (maximum) 11 kgs
 - (c) **Search Head:** The search head may be in any shape, i.e, circular, oval rectangular etc. However, the total area of search head should be between 210 Sq cm to 710 Sq cm.
3. The electronic circuit should be hermetically sealed and separate from batteries so than in case of battery leakage the electronic circuit is not damaged. The manufacturer shall provide a compliance certificate for the same.
4. Detector design should allow its use both with and without earphone. The equipment must have volume control facility. Detector must give detection sound when operated without earphone. If earphone is used the detection sound should not be hear in open but only in earphone.
5. Must have a power control and sensitivity control to detect all type ferrous/non ferrous metals.
6. Must have a visual display to indicate detection and proximity of targets metal. The LEDs should be bright enough to be visual in day light (preferably on the hand grip or on search head).
7. Must have self- compensating capability to detect in different types of terrain/ soil/water (including salt water), Compliance Certificate shall be provided by the manufacturer for the same.

8. Detection Capabilities

- (a) Should detect all ferrous and non ferrous metals
- (b) Must be capable of detecting buried mines/metals in:-
 - (i) All types of soils including laterite (Ferrous and aluminum oxides)
Compliance Certificate shall be provided by the manufacturer for the same.
 - (ii) Under water 1ft
 - (iii) In all weather condition from arid to pouring rain. The equipment should meet international standard IP-67 Compliance Certificate shall be provided by the manufacturer for the same.
 - (iv) Over the temperature range of 20° to 55°C. Compliance Certificate shall be provided by manufacturer for the same.
 - (v) **Metal to Metal**. The equipment should be able to differentially detect two detonators No.27/33 placed at a distance of 01ft apart.

9. **Detection Setting Procedure**: The detector should be operational and capable of being set for operation in air/metal free soil within 30 seconds of switching on of setting switch. Trigger level threshold control to be provided.

10. Detection Sensitivity

- (a) The size and shape of the object with which the tests will be conducted are as under:-
 - (i) 0.15 gm metal - 1 inch x 1 inch tin foil.
 - (ii) 50mm nail - Thickness 03 mm and dia of head 06 mm
 - (iii) Salty water - 03gm Iodized common salt in 01 ltrs of water.
- (b) The sensitivity of the detector must meet the following specifications:-

(i) In free air

- (aa) 0.15gm metal - 15cm
- (ab) 50mm nail vertical - 29cm
- (ac) 50 mm nail horizontal - 23cm

(ii) Under Ground

- (aa) 0.15 gm - 11cm
- (ab) 50 mm nail vertical - 27cm
- (ac) 50 mm nail horizontal - 17cm

(iii) In Clear Water

- (aa) 0.15 gm metal - 11 cm
- (ab) 50mm nail vertical – 28 cm
- (ac) 50 mm nail horizontal - 19 cm

(iv) In Salty Water

- (aa) 0.15 gm metal - 11 cm
- (ab) 50mm nail vertical – 28 cm
- (ac) 50 mm nail horizontal - 19 cm

- (C) Detector must be capable of pinpointing detected metal to ± 5 cm range.
The distance will be taken from the center of the search head to the object.
- (d) Detection tone should be distance from the working tone. The instrument should be free from radio and static interference.
11. **Electrical Parameter** :- The detector must be powered by standard size commercially available dry cells for 20 hours and rechargeable cell for 12 hours. Must have a facility to indicate low battery.
12. **Transport Storage and Transit.** The detector together with its accessories must come in a height weight durable compact back pack carry bag that is capable of surviving in all adverse environment conditions. The back pack carry bag weight inclusive of detector accessories must not exceed 4.5 kgs.
13. Weight of the complete detector in its bag transport box must not exceed 11 kgs transport box should be ruggedized enough to withstand sheet and drop from a 3 mtr height. Without suffering any damage to the transport box body or equipment (detector) kept inside it.
14. Period of warranty of supplied equipment minimum 2 years.
15. Manufacturer should undertake to provide spares for 10 years.

QRS AND TRIAL DIRECTIVES OF BOMB BLANKET (AS PER NSG)

1. The Bomb Blanket should offer protection against Blast, thermal and fragmentation effect resulting from the detonation of explosives. The firm will have to produce certificate from a National/international accredited lab certifying compliance with STAGNAG 2920 V 50 @ not less than 665 Mts/ Sec.
 2. The Bomb Blanket should be made with multiple layers of suitable aramid fabric and should conform to the protection level required and then sewn into a fire retardant with repellent cover.
 3. The Bomb Blanket should consist of integral Blast containment ring to deter side fragmentation discharge and to direct the force of blast up wards.
 4. The Bomb Blanket design and material used for manufacture should permit X- Ray of the suspected device, without being lifted.
 5. The Bomb Blanket should easily cover a suspected device of min size of 40cmx30cm x 40cm without making any contacts.
 6. The Bomb Blanket should provide easy lifting facility and should have no filling or strapping of blanket while deployment.
 7. Weight of Bomb Blanket should not be more than 40 kgs including blast containment ring.
 8. The Bomb Blanket should offer protection against blast, thermal and fragmentation effect resulting out of blast effect of 2 Kg TNT equivalent explosive along with min 100 gms of nail/nuts as fragments.
 9. The Storage life of the Bomb Blanket should be 7 Years.
 10. **Miscellaneous:** The Firm should be able to provide the following as applicable along with the equipment.
 - (a) Cleaning kit, if any
 - (b) Users hand book & technical manual giving full description of the item.
 - (c) Literature on preservation technique as applicable.
 - (d) Suitable ruggedized carrying case.
-

BOMB TRAILER (INDIGENOUS) SB/ HQR SPECIFICATIONS

1. The bomb trailer should be a complete system for putting suspected IEDs object into the trailer. It should be able to allow quick and safe transportation of suspected IEDs to a safe distance so that no harm or damage to life and property take place.
2. Should be able to withstand up to 4 kgs of TNT. The Bomb Disposal and transportation container should be certified to safely contain and transport a suspected explosive object containing 4 Kg of TNT, with no penetration of containment vessel that is placed on the Cart. The firm should provide a Power Point presentation.
3. Firms should enclose Test Result from an accredited National/ International Lab.
4. The Bomb Trailer should be provided with hook and should be able to latch into pick up vehicles using the hook.
5. The Trailer tyres should be 15 inch with braking system.

QRS/ SPECIFICATIONS OF BOMB BASKET AS PER MHA SPECIFICATIONS:

1. System- Made of non- fragmentation ballistic fiberglass with a minimum of 24 inch diameter, 36 inches height.
 2. Must have nylon holding net inside basket.
 3. Withstand a blast of minimum of 220gm TNT with splinters.
 4. Weight – Not more than 55 Kgs.
 5. One sample to be given for trial for destructive testing at no cost no commitment basis.
 6. **Miscellaneous:** the firm should be able to provide the following, as applicable along with the equipment.
 - a. Technical Manual giving full description of the item.
 - b. User's Hand Book.
 - c. Literature on preservation technique, as applicable.
 - d. Specifications for packing, handling/transportation/storage.
 - e. Details regarding proof/periodical Inspection by the user.
-

Digital Camera (SB/ Hqrs Specifications)

1. The Digital Camera should be 12 Megapixel or higher.
 2. Should have Night Snap Capabilities with built in Flash.
 3. Should operate on re chargeable Li- Ion battery.
 4. Separate charger for charging of Li- Ion battery should be provided
 5. 8 x optical zoom or better.
 6. 12 x digital zoom or better.
 7. 2 years onsite warranty should be provided
 - 8. Miscellaneous:**
 - a. Separate hand strap for holding for camera should be provided.
 - b. Soft cover for safe storage of camera should be provided.
 - c. Owner's Manual and literature for operating the camera should be provided.
-

QRS OF CABLE AND WIRE LOCATOR (MHA)

Sl. No.	Technical Specifications
1.	It should be battery operated hand held search device for the detection of command wires leading to remote control IEDs.
2.	Detection: It should be able to detect and locate cable of at least 50 meter length which is buried at the depth of minimum 20 Cms. It should be able to detect such cables in all weather and soil conditions (dry soil, moist soil, soil with high metallic content) in active and passive modes both.
3.	The detector & its accessories should be made of non corrosive material (Certificate from the OEM to be provided by the firm)
4.	The electronic circuit should be hermetically sealed. In case of battery leakage the electronic circuit should not get damaged. (Certificate from the OEM to be provided by the firm)
5.	The equipment should have low battery indicator (audio and visual)
6.	False alarm rate should be less than < 1%
7.	Length of the shaft should be adjustable + - 20 %
8.	Manual controls for power on /off & for adjusting <ul style="list-style-type: none"> (i) Volume (ii) Sensitivity (iii)Gain
9.	The equipment should give an audible alarm even when head phones are not used
10.	Accessories. Along with the standard accessories the equipment must have the following. <ul style="list-style-type: none"> (a) Set of Spare batteries (dry rechargeable) (b) Battery Charger for rechargeable batteries. (c) Field back pack (d) Ruggedized transit case
11.	Components. The equipment should contain sensing head shaft, test piece, headphone (full ear covering headphone) battery carrier and any other item required for smooth

	operation of the equipment.
12.	Alarm. Audio and visual
13.	Power Supply. Dry rechargeable and non rechargeable battery. Minimum life of the battery 8 Hours on full power mode under operational conditions.
14.	Operation time. Minimum 12 Hours on full power mode in operational conditions
15.	Operating temperature range. -10° to + 50° Celsius (Certificate from a National/ International accredited lab to be provided by the firm)
16.	Operational weight with batteries. Maximum 4 Kgs
17.	Protection. Equipment should be IP-67 complaint (Certificate from a National/ International accredited lab to be provided by the firm)
18.	Misc. (a) Tech Manual giving full description of the of the item (b) User's handbook & literature on packing handling operation, maintenance, transportation & storage of equipment

QRs/ Specifications of Telescopic Prodder foldable Metallic as per MHA

1. The Prodder should be sturdy and have a tapered tip to prevent damage from hard objects during insertion.
 2. Length should be in the order of:-
 - a. Short assembled 500 mm (+ - 10 %)
 - b. Long Assembled 1200 mm (+ - 10 %)
 3. The Prodder should be made of non corrosive material or a coating applied to prevent corrosion.
 4. Hand grip should be made of non conducting material.
 5. Light weight (less than 1.5 Kgs).
 6. It should have LED torch light fitted with rechargeable battery for night viewing.
 7. **Miscellaneous:** The firm should be able to provide the following as applicable, along with the equipment.
 - i. User's Hand Book and Technical Manual giving full description of the item.
-

QRS OF **TELESCOPIC SEARCH MIRROR** (as per SB/ Hqrs Specifications)

The following are the requirements for Telescopic Search Mirror

SI No.	Parameters	Qualitative Requirements
1.	Format	Hand Held Inspection Mirror
2.	View	4"x 6" of 5 " Diameter Convex Mirror
3.	Arm Length	Extendable up to 2 Mts (Telescopic & Locking Type)
4.	Application	Inspection of inaccessible Places
5.	Features	Fast Viewing
6.	Accessories	Provision for attachment of Torch Light
7.	Manual	Operation/ owner's manual to be provided
8.	Warranty	2 Years

ORS : TATA 407 IED RESPONSE VEHICLE (BDDS SB/HQ, SHILLONG SPECIFICATIONS)

Physical Requirement

- Should be a Hard Top body with: (i) 1 (one) sliding door on the left hand side behind passenger door (ii) 2 (two) rear door opening with lock facility.
- Should have 1 (one) foldable working table of size 60 X 60 cm for lab/spot tests, attached to the side frame of the vehicle. The tables should have stainless steel top.
- Should have 3 x 3 adjustable Shelves/rack of size 60 x 30 cm for keeping all PBI Equipments.
- Should have provision of fire extinguisher 5 Ltrs. Foam type.
- Provision of revolving orange/blue lights and siren fitted on the vehicle top.
- Should have 3 (three) small tube lights fitted inside the vehicle.
- Should have 2 (two) Steel safe/storage compartments of wooden inner lining, of sizes (i) 50 x 60 x 40 Cms and (ii) 40 x 40 x 30 Cms, with Lock facility for keeping explosives etc.
- Should have 1(one) immovable, seat for the PBI team members to sit inside the cabin.

9. Should have 2 (two) steel chair foldable for Bomb Technicians

Technical Requirements

10. Should have a small 1KVA Gen Set for power supply***
11. Should have facility of 6 x 220 V x 5 Amp Power plugs for charging the equipments.
12. Should have 3 Rechargeable Emergency lights.

Additional Features

13. The vehicle should be under warranty for a period of one year or 5000 Kms whichever is earlier.
14. Should provide at least three free services.
15. Should be preferably four wheeled vehicle.
16. Spare parts for the modification for a period of minimum three years should be provided.
17. The Gen set should have the following QRS***:-
 - a. Should be of 1 KVA capacity.
 - b. Should be able to run continuously for 12 Hrs.
 - c. Minimum maintenance should be required.

Justification.

18. A mobile platform which can move to the place of incident at the earliest with all the facilities and the latest equipment for faster Render Safe Procedures in IED Threat Situations and Post Blast Investigations by doing on spot testing/ analysis of debris and fragments.
19. The operating efficiency of PBI teams will be enhanced tremendously.
20. The vehicle can be moved to nearby places within a very short time.

Optional requirement:

1. Provision of foldable Ramp for loading and unloading of Mobile Robotic Operated Vehicle (MROV).

Note: Details regarding fabrication of vehicle can be obtained from SB Headquarters on any working day between 10:00 AM to 4:00 PM.

QRs/Specification of the RSP TOOL KIT (BPR & D/ MHA)

1	Doctor stethoscope.
2	BP Handle 6'' \pm 1'' with BP Blade set
3	Scissors 6'',7'',8 \pm 1''
4	Dental mirror 6'' \pm 1'',10'' \pm 1''
5	Scalpel 8'' \pm 1''
6	Artery Forceps 6'' \pm 7''8'',9'' \pm 1''
7	Torch with two pencil cells.
8	Torch medium with two cells
9	Hammer sledge and ball pane (2Kg \pm 10%) with claw Hammer.
10	Pipe wrench 10'' \pm 1''
11	Hand vice Grip 6'' \pm 1''
12	Magnifying Glass
13	Nipper cutter
14	Tin cutter
15	Nose Plier
16	Knife 80 mm Blade
17	C Clamp 4'' \pm 1''
18	Spanner Adjustable 15mm \pm 5mm
19	Spanner Adjustable 30mm \pm 5mm
20	Hawk Saw 7'' \pm 1 '' with blade
21	Screw Drive set consisting of :- a)Flat 2mm \pm 1mm blade width b)Flat 4mm \pm 1mm blade width c)Flat 6mm \pm 1mm blade width d)Flat 8mm \pm 1mm blade width e)Flat 10mm \pm 1mm blade width f)Flat off set 6mm \pm 1mm blade width g)Flat offset 7mm \pm 1mm blade width h)Flat offset 10 mm \pm 1mm blade width i)Cross point 75mm \pm 10mm j)Cross point 150mm \pm 10mm k)Cross point 200mm \pm 10mm l)Cross point 250 mm \pm 10mm
22	Hand drill with drill bit set
23	Spanner 10 piece metric set
24	Spanner 10 piece imperial set
25	Soldering iron 6'' with soldering paste& soldering wire 50 gms
26	Sponge holder 10'' \pm 1''
27	Can opener 6'' \pm 1''
28	Tape cello
29	Tape black
30	Tape paper
31	Punch 5'' \pm 1
32	Cold chisel 6'' \pm 1''

33	Cold chisel 8'' + 1''
34	Screw driver set (watch maker)
35	Screw driver alignment
36	Super glue adhesive
37	Pliers cutter with grip long point nose
38	Pliers cutter / grip combination
39	Pliers flat jaw
40	Pliers round jaw
41	Cutter side 160mm \pm 10mm
42	Cutter side 120mm \pm 10mm
43	Fish line with Hook
44	Tweezers
45	Probe (straight & angular)
46	Wire brush
47	Swiss Army knife
48	Tape measuring 4mtr \pm 1mtr
49	Non metallic probe
50	Hand gloves
51	Fire extinguisher (BCF Type) 600gm + 100gm
52	Bar lever spike & cranked chisel ends 445mm + 10 mm
53	Bar leaver crack from & wedge ends 260mm \pm 10mm
54	Square driver socked set
55	Pick 560mm \pm 10mm head
56	Pray bar
57	Thermal Cutter
58	Shovel round nose
59	Folding ladder (optional – subject to requirement of the user) a)Should be made of ruggedized material b)Should be foldable & capable for storage in a backpack c)Minimum length 12 feet d)Minimum width 1 foot e)Weight – maximum 15 kgs f)Capacity 85 kgs \pm 10 kgs
60	Miscellaneous The Farm should be able to provide the following, as applicable, along with the equipment :- a)Cleaning kit, wherever applicable. b)User's Handbook
All the above tools should be packed in a suitcase type carrying case with proper stowage	
All the above tools should be ISI marked / manufactured by and standard and reputed	
Warranty – On site comprehensive for 2 (Two) Years.	

Technical Specification of LED Search Light. (SB/ HQRS)

- 1) It should have Variable Focus Reflector.
- 2) It should work as Spot and Flood Light.
- 3) It should have Non Slip Handles.
- 4) It should be waterproof and shock proof.
- 5) It should have at brilliant white light at least up to 300 Mts. range.
- 6) It should have a powerful LED bulb having life span of minimum 2000 Hrs.
- 7) The LED Bulb should be between 2-5 Watts
- 8) It should be provided with On/ Off and Flashing facility
- 9) It should have and in built charger working with re- chargeable batteries.
- 10) When fully charged the LED search light should be capable of working for 5-6 Hrs in ON mode.
- 11) Provision for working with dry cell batteries during emergency should also be provided.
- 12) There should be Automatic Deep Discharge and Over Charge protection.
- 13) Comprehensive On- Site Warranty should be provided for 2 years.
- 14) Owner's manual and warranty card with weather proof casing should be provided.

TECHNICAL SPECIFICATION OF **EXPLOSIVE VAPOR DETECTOR (EVD)/MHA**
SPECIFICATIONS

Sl No.	Technical specifications of SB/ Headquarters, Shillong. (as per BPR & D) MHA.
1.	Sensitivity: the detector should be able to detect all types of explosives in vapour mode at room temperature.
2.	Selectivity: System should not respond to odour of non- explosive substances.
3.	Specificity: False alarm rate should be less than 1%
4.	Detector Capability: should be able to detect all types of explosive including explosives with low vapour pressure explosive in mixture form.
5.	Carrier Gas: Detector should not require the use of carrier gas.
6.	Auto Calibration: Adjustment/ Resetting for further operation should be automatic.
7.	Warm UP Time: Should be less than 10 minutes.
8.	Analysis time: less than 6 seconds.
9.	EMI: Operation should not be affected by electromagnetic interference or other electronic/electrical devices.
10.	Versatility: Equipment should allow the search of all places example field area automobiles, aircraft etc.
11.	Ease of Operation: Controls should be simple and easy to operate by bomb technician. Should not involve technician making or interpretation at the operator level, Grand Learn Capability.
12.	Operating Temperature: (a) Minimum - -10° (b) Maximum - + 55°
13.	Endurance: On 230V AC supply equipment should work continuously on battery, continuous operation should give more than 3 hours of operation.
14.	It should be one man portable and complete equipment should fit into one hand carrying case. Maximum operating weight should not exceed 4 Kgs.
15.	Indication: Both Visual and audio alarm system.
16.	Power Supply: Should Operate both on battery as well as external power source.
17.	Safety: The equipment should be safe to handle and free from radiation hazards to the operator.
18.	Should be to function both on vapour and particle mode.
19.	Spares and Service: User hand book, tech service manual, spare kit comprising of battery charger, test samples and spare battery should be provided with the equipment.

Technical Specifications: Water Jet Disrupters (MHA)

1. Should be capable of performing both to disarm and to disrupt.
2. Should have recoilless operation.
3. Should have capability of stand- off operation.
4. The mounting should be stable and should permit movement of disrupter in all angles.
5. Should have flexibility in selection of velocities of low and high velocity jets.
6. Should have an aiming device for stand –off operation with laser and Telescopic sites.
7. Should be light weight not more than 15 Kgs.
8. Operating temp -5° C to + 55° C.
9. Body of metallic rust proof material.
10. It should be capable of firing at least the following projectiles:-
 - a. Blade Projectile
 - b. Bloster Projectile
 - c. Chisel Projectile
 - d. Fin/Spin stabilised
 - e. Fork Projectile.

11. Accessories

- a. Operators Manual.
- b. Carrying Case with harness.
- c. Training material / Aid

The above are the Technical Specifications/ Qualitative Requirements of **MHA** for Water Jet Disrupters.

12. OPTIONAL REQUIREMENT

It is desirable that the Disrupter should be capable of firing electrically initiated 0.5 Calibre Power Cartridges of High, Medium and Low velocities.

Warranty – On site comprehensive for 2 (Two) Years.

QRS AND TECHNICAL SPECIFICATIONS OF DRILLING MACHINE (SB/ HQRS)

1. The drilling machine should be from a reputed company
2. DC Operated Motor - DC Operated Motor 6v to 24v
3. Weight with battery - Not more than 4 kg
4. Drilling capability-
 - a) Up to 10 mm dia in concrete
 - (a) Up to 10mm dia in steel
 - (c) Up to 20 mm dia in wood.
5. Power input - 400 w + - 50w
6. **Bits** Wood, Concrete and Steel (Maximum up to 20mm as per BIS specification or equivalent).
7. Miscellaneous: (a) Cleaning kit
 - (b) Users Hand Book cum Technical manual
 - (d) Packing / transportation/ storage case.

QRS OF SEARCH KIT TOOLS (MHA SPECIFICATIONS)**List of standard 52 items of Tool Kit**

1. Lamp, florescent, Battery operated.
2. Gloves leather.
3. Cord, Nylon.
4. Tape measuring length 3 mts.
5. Knife Retractable.
6. Knife Linoleum
7. Tape Insulation, 2 Reel
8. Scissor (Tailor Type)
9. Padsaw
10. Hacksaw junior
11. Blade set of Hacksaw junior
12. Hammer claw
13. Hammer club, 4lbs.
14. Cold Chisel
15. Bar wrecking
16. Cutter, capacity 0.9mm Mild steel
17. Cutter, capacity 1.2 mm Mild steel
18. Bolt cutter

19. Screw Driver Cross Head 6"
20. Screw Driver Cross Head 7"
21. Screw Driver Cross Head 9"
22. Screw Driver Cross Head 13"
23. Screw Driver Flat Head 6"
24. Screw Driver Flat Head 9"
25. Screw Driver Flat Head 13"
26. Wrench Hexagonal, Imperial set
27. Wrench Hexagonal, Metric set
28. Wrench adjustable 150 mm
29. Wrench adjustable 300 mm
30. Wrench Strap, Wise
31. Plier, Adjustable, Vice Grip, 254 mm
32. Plier, combination
33. Plier long nosed
34. Plier, side cutting
35. Plier, slip joint
36. Tweezer
37. Centre Punch
38. Releasing fluid
39. Clamping seizer
40. Socket set square drive A/F & Imperial
41. Drill Machine
42. Drill bit HSS 9 mm, flat
43. Drill bit HSS 8 mm, flat
44. Drill bit HSS 7 mm, flat
45. Drill bit HSS 7 mm,
46. Drill bit, flat 5 mm
47. Drill bit, flat 4 mm
48. Drill bit, masonry 300 x 10 mm
49. Drill bit, masonry 300 x 06 mm
50. Fire extinguisher
51. Cable electric, Extension length 5 Mts.
52. Suit case modified

QRS TELESCOPIC MANIPULATOR (NSG SPECIFICATIONS)

1. Dimensions

- (a) It should have minimum length of 4.5 mtrs when fully extended.
- (b) It should provide a minimum stand-off distance of 4 mtr from the tip of the claw when fully extended.
- (c) It should have a min stand-off distance of 1.5 mtrs when telescopic pole is in collapsed position.
- (d) Dimension of carrying case length 125 cm (max), width 45 cm (max) height 20 cm (max).
- (e) The carrying case should be Pelican or equivalent case with wheels.

2. Weight

- (a) It should not weigh more than 22 Kgs when assembled and ready for operation including wheel assembly & complete counter wt attached.
- (b) It should not weigh more than 9 Kg when assembled & ready for operations without wheel assembly & counter weight.
- (c) Total transportable weight of the eqpt should be less than 32 Kgs.
- (d) Carrying case should not weigh more than 10 Kgs. It should have wheels to drag it easily while transporting. It should have a carrying handle to hold it.
- (e) It should have provision of using varying counter weights either Single or in combination.

3. Lifting Capacity

- (a) It should be able to lift 10 kgs of weight without any imbalance or toppling effect when fully extended with or without wheel assembly ensuring easy mobility for Bomb Tech in a Bomb Suit.
- (b) It should facilitate to lift suspected device from a height.

4. Claw

- (a) The claw should have 360 degree rotation in both clock and anti-clock wise direction.
- (b) The claw and rod/pole must be stable in all directions and should not slip or rotate during the operation. It should hold suspected device intact to facilitate easy carriage by the Bomb Tech.
- (c) L-shaped and straight rubber grip pads must be provided as attachments for claw to pick up or hold tightly circular, smooth, flat and rectangular objects.
- (d) Claw should open to a min of 20 cm.

5. Battery

- (a) It should be operational with commercially available rechargeable and disposable batteries.
- (b) Batteries should have a minimum of 60 minutes continuous operating time.
- (c) The equipment should be provided with one set of spare rechargeable battery with a charger
- (d) The battery compartment should be inside the telescopic pole.

6. Shoulder strap

- (a) It should have a comfortable and adjustable shoulder strap for operator to wear and handle it while wearing a Bomb Suit.

7. Material

- (a) The equipment pole should be made of high strength light weight and non corrosive material with a shelf life of min 10 yrs.

8. Miscellaneous

- (a) The telescopic manipulator should have a breakaway tip arrangement, so that in case of a possible explosion, only the tip is damaged and reduce the recoil effect almost to nil.
- (b) The equipment should be able to function at extreme range of temperature ie -20 degree C to +55 degree C.
- (c) The equipment should be water resistant and should comply to IP 67 std.
- (d) It should have a safety switch mechanism to open the claw so that it does not open accidentally.
- (e) It should be easily operationally collapsible and extendable by 01 operating bomb tech wearing bomb suit.
- (f) It should be possible to deliver water jet disrupter using this manipulator.

Certifications:

1. Firm / OEM to provide self certification Certificate to be checked by the Tendering Authority in case of 1 (e).
2. Firm/ OEM to provide certificate from a National/ International accredited lab to be checked by the Tendering Authority in case of 7 (a), 8 (a), 8 (b) and 8 (c).

TECHNICAL SPECIFICATION/QUALITATIVE REQUIREMENTS OF NON MAGNETIC TOOL KIT (As per MHA SPECIFICATIONS)

Sl. No.	Qualitative Requirements	Trial Directives
1.	Screwdriver, flat, 2mm x 150 mm Blade Width.	The Physical dimensions to be checked with measuring instruments and its physical properties through magnet.
2.	Screwdriver, flat 4mm blade Width, 170 mm	---DO---
3.	Screwdriver, flat 6mm blade Width, 240 mm	---DO---
4.	Screwdriver, flat 8mm blade Width, 295 mm	---DO---
5.	Screwdriver, flat 9mm blade Width, 380 mm	---DO---
6.	Screwdriver, flat offset 6mm blade Width, 75 mm	---DO---
7.	Screwdriver, flat offset 7mm blade Width, 120 mm	---DO---
8.	Screwdriver, flat offset 10mm blade Width, 195 mm	---DO---
9.	Screwdriver, crosspoint No. 1, 150 mm	---DO---
10.	Screwdriver, crosspoint No. 2, 255 mm	---DO---
11.	Screwdriver, crosspoint No. 3, 260 mm	---DO---
12.	Screwdriver, crosspoint No. 4, 380 mm	---DO---
13.	Scissors, No. 150 mm	---DO---
14.	Spanner, adjustable 19 mm, max 160 mm	---DO---
15.	Spanner, adjustable 28 mm, max 255 mm	---DO---
16.	Hammer, ball pin, 680g, 355 mm	---DO---
17.	Hammer, Club, 910g, 225 mm	---DO---
18.	Pliers, cutters/ grips, combination, 205 mm	---DO---
19.	Pliers, flat jaw, flat nose, 135mm	---DO---
20.	Pliers, cutters/grip, long point nose, 165 mm	---DO---
21.	Pliers, round jaw point nose, 130 mm	---DO---
22.	Probe, straight and right angle, 150mm	---DO---
23.	Cullers, side 150 mm	---DO---
24.	Cullers, side 120 mm	---DO---
25.	Bar, Lever cranked form and wedge ends 260 mm	---DO---
26.	Chisel flat 15 mm, cutting edge 165 mm	---DO---
27.	Chisel flat 22 mm, cutting edge 230 mm	---DO---
28.	Tweezers 200 mm	---DO---
29.	Knife, 80 mm, blade 210 mm	---DO---
30.	Hacksaw, blade length 300 mm, blade 300 mm to fit hacksaw	---DO---
31.	Scraper, 25 mm blade width, stiff 250 mm	---DO---
32.	Wire brush 305 mm	---DO---
33.	Wrench pipe adjustable, 38 mm, max 355 mm	---DO---
34.	Case carrying	To be Physically Checked
35.	Bar, Lever, spike & cranked chisel ends 445 mm	The Physical dimensions to be checked with measuring instruments and its physical properties through magnet.
36.	The tools should be beryllium copper alloy	OEM to provide manufacturing certificate and to be checked.
37.	The tools must conform to stanag 2897 Annex C	---DO---
38.	All tools should be suitable for contact use and should be individually certified	---DO---
39.	The equipment should be supplied with a robust packing and carrying case which also should be non magnetic	To be physically checked through magnet
40.	The equipment along with carrying case should not weigh more than 16 kgs	To be physically checked through weighing machine

**TECHNICAL SPECIFICATIONS OF PORTABLE GENERATOR SET (SMALL)
(SB/HQRS SPECIFICATIONS)**

1. Rated A.C Output 500 Va.
2. Max A.C Output 600 Va.
3. Rated Voltage 220 Volts.
4. A.C Frequency 50 Hz.
5. Engine – Single Cylinder air cooled gasoline or kerosene.
6. Engine Capacity 60 cc or better.
7. Starting system- Recoil Start.
8. Max output 2.0 Hp at 3000 RPM.
9. Ignition System- CDI
10. Fuel capacity- 4 Lts or better.
11. Continuous running time – 6 Hrs. or better.
12. Weight- 16- 18 Kgs.
13. Warranty- 2 Yrs.

TECHNICAL SPECIFICATIONS OF HALOGEN LAMP (SB/HQRS SPECIFICATIONS)

1. The halogen lamp should be hand held operated by 12 volts D.C Current.
2. It should be provided with a 3 Mts cable with 12 Volts male socket for connection to the 12 Volts power supply of vehicle.

TECHNICAL SPECIFICATIONS OF MEGA PHONE (SB/HQRS SPECIFICATIONS)

The Megaphone should be:-

1. Compact, lightweight megaphone offers 15 watts of power and appx 200M range.
2. Should have Built-in siren, volume control, power on/off switch with LED indicator, siren and music control, and a convenient carry strap.
3. Should Run on 4 D Size batteries, Power: 15 Watts.
4. Record and Play Function is desirable.
5. Should cover upto 200M range indoors and outdoors.
6. Should have variable volume control and built in Mic.
7. Warranty 2 Years.

TECHNICAL SPECIFICATIONS OF SWISS ARMY KNIFE (SB/ HQRS SPECIFICATIONS)

1. The multipurpose knife should be a compact, robust, hand held, multipurpose personal kit item intended for use by a soldier in the performance of broad range of daily field activities.
2. **Operational & Physical Characteristics** The multipurpose tool should have the following minimum components with their specified functional capability.
 - A. Drop Point Blade.
 - B. Serrated Sheep Foot Blade
 - C. Flat Blade Screw Driver
 - D. Cross Tip Screw Driver
 - E. Wire Cutter
 - F. Bottle Opener
 - G. Can Opener
 - H. Nose Pliers
 - I. Combination File
3. **Material** : Stainless Steel
4. **Carriage**. It should have a durable sheath with loop to fit on standard issue belts of Military/ Para Military Forces.
5. **Maintenance**. It should require minimal user maintenance, lubricating and tightening of assemble screw (s). It should be capable of maintaining its performance in sand and dust.

TECHNICAL SPECIFICATIONS OF MULTIMETER (SB/HQRS SPECIFICATIONS)

1. The multimeter should be able to measure AC/DC Current and Voltages.
2. The multimeter should be able to measure AC/ DC current
3. The multimeter should be able to measure Resistance and continuity
4. The multimeter should be battery operated with interchangeable battery.
5. The multimeter should have a digital display.

SI No.	QRS/ TECHNICAL PARAMETER FOR HOOK & LINE SET (NSG approved specifications)	QUANTITY
1.	The Hook and Line set should comprise of the following items and their quantities as given below	
a.	Reel 300mm dia with handle and should hold the line provided with the kit.	02 Nos.
b.	Line 5.5mm dia length 120m	02 Nos.
c.	Pulling Handle	02 Nos.
d.	HOOKS: (i) Hook, Small Single Plain 12mm	02 Nos.
	(ii) Hook Single Plain 25 mm	02 Nos.
	(iii) Hook Single Plain 50 mm	02 Nos.
	(iv) Hook double plain 25mm	02 Nos.
	(v) Hook double plain 50mm	02 Nos.
	(vi) Hook single barbed 25 mm	02 Nos.
	(vii) Hook single barbed 50 mm	02 Nos.
	(viii) Hook single barbed 12 mm	02 Nos.
	(ix) Hook double barbed 25mm	02 Nos.
	(x) Hook double barbed 50mm	02 Nos.
	(xi) Spring Gate Hook	01 No.
	(xii) Self Locking Hook	01 No.
e.	Rod extension 3m	01 No.
f.	Belt sling	
	(i) 7.5 Cms	01 No.
	(ii) 10 Cms	01 No.
g.	Snatch Block self opening	04 Nos.
h.	Karabiners	
	(i) 12 mm	02 Nos.
	(ii) 18 mm	02 Nos.
	(iii) 25 mm	02 Nos.
h.	Pitons	
	(i) 50 mm	06 Nos.
	(ii) 100 mm	06 Nos.
i.	Self adhesive anchor	10 Nos.
j.	Suction pad single and double	Single 02 Nos. Double 01 No.
k.	Telescopic pole with self locking hook	01 No.
l.	Grips	
	(i) Spring- Max opening of 25 mm	01 No.
	(ii) Vice	01 No.
m.	Door stopper (rubber)	04 Nos.
n.	Through wall anchor with ring	01 No.
o.	Rope Sling	
	(i) 3mm diameter and 2 m long	02 Nos. Minimum

	(ii) 5 mm diameter and 2 m long	02 Nos. Minimum
p.	Wedge with eye	02 Nos.
q.	Screw with eye	10 Nos.
r.	Wire sling 1.5 mm- 3 mm diameter and 2 m long	04 Nos.
s.	Pocket tool kit	02 Nos.
t.	Door way anchor min 700-1100 mm with eyes	02 Nos.
u.	D Shackle at least 13 mm gate and 1000 kgs load	02 Nos.
v.	Standard snatch block	02 Nos.
w.	Ground Anchor	06 Nos.
x.	Webbing sling- 50 mm width and (1m-2m) length	02 Nos. Minimum
y.	Round Sling	
	(i) 1 m length	02 Nos.
	(ii) 3 m length	02 Nos.
	(iii) 5 m length	02 Nos.
z.	Snatch block heavy duty with swivel	04 Nos.
aa.	Splitter ball	02 Nos.
ab.	Snatch block, one way lock	01 No.
ac.	Fish hook	02 Nos.
ad.	Hook 120 mm opening fixed eye	02 Nos.
ae.	Remote window breaker	01 No.
af.	Seizer lock jaw 85 mm length 175 mm	01 No.
ag.	Tripod lifting capacity minimum 250 Kgs & minimum 2 mtr lifting range	01 No.
2.	The items should come complete in a rugged carrying case fitted with rubberized foam	